

## LITERATURE CITED

- Adams, P.B., C. Grimes, J.E. Hightower, S.T. Lindley, M.L. Moser, and M.J. Parsley. 2007. Population status of North American green sturgeon, *Acipenser medirostris*. *Environmental Biology of Fishes* 79:339-356.
- Adams, P.B., C.B. Grimes, J.E. Hightower, S.T. Lindley, and M.L. Moser. 2002. Status review for the North American green sturgeon. NOAA, National Marine Fisheries Service, Southwest Fisheries Science Center, Santa Cruz, California.
- Adler, R.W., J.C. Landman, and D.M. Cameron. 1993. The Clean Water Act: 20 years later. Natural Resources Defense Council. Island Press. Washington, D.C.
- Alabaster, J.S., D.G. Shurben, and M.J. Mallett. 1983. The acute lethal toxicity of mixtures of cyanide and ammonia to smolts of salmon, *Salmo salar* L. at low concentrations of dissolved oxygen. *Journal of Fish Biology* 22:215-222.
- Allen, B.M. and R.P. Angliss. 2010. Beluga Whale, Cook Inlet Stock, pages 87 -92 in Alaska Marine Mammal Stock Assessments, 2009. NOAA-TM-AFSC-206. Available at: <http://www.nmfs.noaa.gov/pr/sars/region.htm>
- Allen, P.J. and J.J. Cech, Jr. 2007. Age/size effects on juvenile green sturgeon, *Acipenser medirostris*, oxygen consumption, growth, and osmoregulation in saline environments. *Environmental Biology of Fishes* 79:211-229.
- Allen, P.J., J.A. Hobbs, J.J. Cech, J.P. Van Eenennaam, and S.I. Doroshov. 2009a. Using trace elements in pectoral fin rays to assess life history movements in sturgeon: Estimating age at initial seawater entry in Klamath River green sturgeon. *Transactions of the American Fisheries Society* 138(2):240-250.
- Allen, P.J., J.J. Cech, and D. Kultz. 2009b. Mechanisms of seawater acclimation in a primitive, anadromous fish, the green sturgeon. *Journal of Comparative Physiology B-Biochemical Systemic and Environmental Physiology* 179(7):903-920.
- Amaral, K.A. and C.A. Carlson. 2005. Scientific basis for whale watching guidelines: a review of current research. Unpublished paper submitted to the Scientific Committee of the International Whaling Commission SC/57/WW1; Cambridge, United Kingdom.
- Anders, P., D. Richards, and M.S. Powell. 2002. The first endangered white sturgeon population: Repercussions in an altered large river-floodplain ecosystem. Pages 67-82 *in*: Webster, V.W., editor. Biology, management, and protection of North American sturgeon, Symposium 28. American Fisheries Society, Bethesda, Maryland.
- Andersen, J.S., J.J.M. Bedaux, S.A.L.M. Kooijman, and H. Holst. 2000. The influence of design characteristics on statistical inference in non-linear estimation; a simulation study. *Journal of Agricultural Biology and Environmental Statistics* 5:28-48.
- Anderson, J.J. 2000. A vitality-based model relating stressors and environmental properties to organism survival. *Ecological Monographs* 70:445-470.
- ATSDR (Agency for Toxic Substances & Disease Registry). 2006. Toxicological Profile for Cyanide. July 2006. Available at: <http://www.atsdr.cdc.gov/toxprofiles/tp8.html>
- Au, W., and M. Green. 2000. Acoustic interaction of humpback whales and whale-watching

- boats. *Marine Environmental Research* 49:469-481.
- Ayuso, R.A., N.K. Foley and, G.R. Robinson Jr., A.S. Colvin, G. Lipfert, and A.S. Reeve. 2006. Tracing lead isotopic compositions of common arsenical pesticides in a coastal Maine watershed containing arsenic-enriched ground water. *Contaminated Soils, Sediments and Water. Proceedings of the 21st Annual International Conference on Soils Sediments and Water* 11:25pp.
- Bahn, R.A. and D.L. Peterson. 2009. Sturgeon bycatch in the Altamaha River shad fishery. Presented at the 2009 American Fisheries Society Conference, Nashville, Tennessee.
- Bailer, A.J. and J.T. Oris. 1999. What is an NOEC? Non-monotonic concentration-response patterns want to know. *SETAC News, March 1999:22-24*.
- Bailey, R.G. 1995. Description of the ecoregions of the United States, second edition. USDA Forest Service Miscellaneous Publication Number 1391, Washington, D.C. First edition available:  
[http://wetlandsfws.er.usgs.gov/status\\_trends/Classification\\_Documents/Baileys\\_Ecoregions.pdf](http://wetlandsfws.er.usgs.gov/status_trends/Classification_Documents/Baileys_Ecoregions.pdf) (February 2008).
- Bain, D. 1990. Examining the validity of inferences drawn from photo-identification data, with special reference to studies of the killer whale (*Orcinus orca*) in British Columbia. Report of the International Whaling Commission, Special Issue 12:93-100.
- Bain, M., N. Haley, D. Peterson, K. Arend, K. Mills, and P. Sullivan. 2007. Recovery of a U.S. endangered fish. *PLoS ONE* 2(1):e168.
- Bain, M.B., N. Haley, D.L. Peterson, K.K. Arend, K.E. Mills, and P.J. Sullivan. 2000. Shortnose sturgeon of the Hudson River: an endangered species recovery success. Paper presented at the Annual Meeting of the American Fisheries Society.
- Baird, R. W., and L. M. Dill. 1995. Occurrence and behavior of transient killer whales: Seasonal and pod-specific variability, foraging behavior, and prey handling. *The Canadian Journal of Zoology* 73:12.
- Baird, R.W. 2000. The killer whale: foraging specializations and group hunting. Pages 127-153 in J. Mann, R. C. Connor, P. L. Tyack, and H. Whitehead, editors. *Cetacean societies: Field studies of dolphins and whales*. University of Chicago Press, Chicago, Illinois.
- Baird, R.W. 2001. Status of killer whales, *Orcinus orca*, in Canada. *Canadian Field-Naturalist* 115:676-701.
- Ball, J.A. 2004. Impacts of climate change on the proposed Lake Tapps – White River water supply. Thesis, draft. University of Washington, Seattle.
- Ballantyne, B. 1987. Toxicology of cyanides. Pages 41-126 in: Ballantyne, B. and T.C. Marrs, editors. *Clinical and experimental toxicology of cyanides*. Wright, Bristol.
- Barber, T.R., C.C. Lutes, M.R.J. Doorn, P.C. Fuchsman, H.J. Timmenga, and R.L. Crouch. 2003. Aquatic ecological risks due to cyanide releases from biomass burning. *Chemosphere* 50(3):343-348.

- Barnhart, R.A. 1986. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest): Steelhead. Technical Report, TR-EL-82-4/82-11-60, Humboldt State University, Arcata, California.
- Barnhart, R.A. 1991. Steelhead. Pages 324-337 in: J. Stolz and J. Schnell, editors. Trout. The Wildlife Series. Stackpole Books, Harrisburg, Pennsylvania.
- Bax, N.J. 1983. The early marine migration of juvenile chum salmon (*Oncorhynchus keta*) through Hood Canal - its variability and consequences. Ph.D. dissertation. University of Washington, Seattle, Washington.
- Beamesderfer, R.C.P. and M.A.H. Webb. 2002. Green sturgeon status review information. S.P. Kramer and Associates. Gresham, Oregon.
- Becker, P.R. 2000. Concentration of Chlorinated hydrocarbons and heavy metals in Alaska Arctic Marine Mammals. Mar. Pollution Bull. 40(10):819-829.
- Becker, P.R., M.M. Krahn, E.A. Mackey, R. Demiralp, M.M. Schantz, M.S. Epstein, M.K. Donais, B.J. Porter, D.C.G. Muir, and S.A. Wise. 2000. Concentrations of Polychlorinated Biphenyls (PCBs), Chlorinated Pesticides, and heavy metals and other elements in Tissues of Belugas, *Delphinapterus leucas*, from Cook Inlet, Alaska. Mar. Fish. Rev. 62(3):81-98.
- Belitz, K., S.N. Hamlin, C.A. Burton, R. Kent, R.G. Fay, and T. Johnson. 2004. Water quality in the Santa Ana Basin, California, 1999-2001. U.S. Department of the Interior, U.S. Geological Survey Circular 1238, Reston Virginia. Available: <http://pubs.usgs.gov/circ/2004/1238/pdf/circular1238.pdf> (February 2008).
- Berman, C.H. 1990. The effect of elevated holding temperatures on adult spring Chinook reproductive success. M.S. thesis, University of Washington.
- Berndt, M.P., H.H. Hatzell, C.A. Crandall, M. Turtora, J.R. Pittman, and E.T. Oaksford. 1998. Water quality in the Georgia-Florida coastal plain, Georgia and Florida, 1992-96. U.S. Department of the Interior, U.S. Geological Survey Circular 1151, Reston Virginia. Available: <http://pubs.usgs.gov/circ/circ1151/circ1151.pdf> (February 2008).
- Beyer, W.N. and D. Day. 2004. Role of manganese oxide in the exposure of mute swans (*Cygnus olor*) to Pb and other elements in the Chesapeake Bay, USA. Environmental Pollution 129(2):229-235.
- Bigg, M.A., P.F. Olesiuk, G.M. Ellis, J.K.B. Ford, and K.C. Balcomb. 1990. Social organization and genealogy of resident killer whales (*Orcinus orca*) in the coastal waters of British Columbia and Washington State. Report of the International Whaling Commission, Special Issue 12:383-405.
- Bilby, R.E., B.R. Fransen, and P.A. Bisson. 1996. Incorporation of nitrogen and carbon from spawning coho salmon into the trophic system of small streams: Evidence from stable isotopes. Canadian Journal of Fisheries and Aquatic Sciences 53:164-173.
- Bills, T.D., L.L. Marking and L.E. Olson. 1977. Effects of residues of the polychlorinated biphenyl aroclor 1254 on the sensitivity of rainbow trout to selected environmental contaminants. Progressive Fish-Culturist 39(3):150.

- Bisson, P.A., K. Sullivan, and J.L. Nielsen 1988. Channel hydraulics, habitat use, and body form of juvenile coho salmon, steelhead, and cutthroat trout in streams. *Transactions of the American Fisheries Society* 117:262-273.
- Bjorkstedt, E., B.C. Spence, J.C. Garza, D.G. Hankin, D. Fuller, W.E. Jones, J.J. Smith, and R. Macedo. 2005. An analysis of historical population structure for evolutionarily significant units of Chinook salmon, coho salmon, and steelhead in the north-Central California Coast Recovery Domain. NOAA-TM-NMFS-SWFSC-382.
- Bjornn, T., D. Craddock, and D. Corley. 1968. Migration and survival of Redfish Lake, Idaho, sockeye salmon, *Oncorhynchus nerka*. *Transactions of the American Fisheries Society* 97:360-373.
- Bjornn, T.C. and N. Horner. 1980. Biological criteria for classification of Pacific salmon and steelhead as threatened or endangered under the Endangered Species Act. Idaho Cooperative Fisheries Research Unit for NMFS.
- Blomberg, G., C. Simenstad, and P. Hickey. 1988. Changes in Duwamish River estuary habitat over the past 125 years. *Proceedings of the First Annual Meeting on Puget Sound Research* 2:437-454.
- Blum, J.P. 1988. Assessment of factors affecting sockeye salmon (*Oncorhynchus nerka*) production in Ozette Lake, WA. Master's Thesis, University of Washington, Seattle, Washington.
- Boomer, R. 1995. Letter to R. Gustafson, NMFS, from R. Boomer, Project Leader, Western Washington Fishery Resource Office, Fish and Wildlife Service, Quilcene National Fish Hatchery Log Books, 1920-1958. West Coast Sockeye Salmon Administrative record, Environmental and Technical Services Division, National Marine Fisheries Service, Portland, Oregon.
- BOR (U.S. Bureau of Reclamation). 2007. Dataweb. Information on reclamation reservoirs, reclamation facilities, water data, engineering, contacts, and more. Available: <http://www.usbr.gov/dataweb> (February 2008).
- BOR (U.S. Bureau of Reclamation). 2008. Central Valley Project and State Water Project Operations Criteria and Plan Biological Assessment. May 16, 2008. Sacramento, CA. Available on the internet at: [http://www.usbr.gov/mp/cvo/ocapBA\\_051608.html](http://www.usbr.gov/mp/cvo/ocapBA_051608.html)
- Borradaile, G. 2003. *Statistics of Earth Science Data*. Springer, Berlin, Germany.
- Bortleson, G.C., M.J. Chrzastowski, and A.K. Helgeson. 1980. Historical changes of shoreline and wetland at eleven major deltas in the Puget Sound region, Washington. U.S. Geological Survey, Hydrologic Investigations Atlas HA-617, U.S. Department of Justice and Bureau of Indian Affairs, Renton, Virginia.
- Boughton, D.A., P.B. Adams, E. Anderson, C. Fusaro, E. Keller, E. Kelley, L. Lentsch, J. Nielsen, K. Perry, H. Regan, J. Smith, C. Swift, L. Thompson, and F. Watson. 2007. Viability criteria for steelhead of the south-central and southern California coast. NOAA-NMFS-SWFSC.
- Bradford, M.J. 1997. Partitioning Mortality in Pacific Salmon. In R.L. Emmett and M.H. Schiewe, editors. *Estuarine and ocean survival of Northeastern Pacific salmon*:

- Proceedings of the workshop. 1997. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-NWFSC-29, 313 p.
- Braham, H. W., and M. E. Dahlheim. 1982. Killer whales in Alaska documented in the Platforms of Opportunity Program. Reports of the International Whaling Commission 32:643-646.
- Brennan, J.S., K.F. Higgins, J.R. Cordell, and V.A. Stamatiou. 2004. Juvenile salmon composition, timing, distribution, and diet in marine nearshore waters of central Puget Sound on 2001-2002. King County Water and Land Resources Division.
- Brett, J.R. 1979. Environmental factors and growth. In W.S. Hoar, D.J. Randall, and J.R. Brett, editors. Fish Physiology. Academic Press, New York.
- Bricker, S., B. Longstaff, W. Dennison, A. Jones, K. Boicourt, C. Wicks, and J. Woerner. 2007. Effects of nutrient enrichment in the nation's estuaries: A decade of change. National Oceanic and Atmospheric Administration, National Centers for Coastal Ocean Science, Coastal Ocean Program Decision Analysis series No. 26, Silver Spring, Maryland. Available: <http://ccma.nos.noaa.gov/publications/eutrouupdate/> (February 2008).
- Broderius, S.J. 1970. Determination of molecular hydrocyanic acid in water and studies of the chemistry and toxicity to fish of the nickelocyanide complex. Thesis, Master's of Science, OSU, Corvallis OR. 93 p.
- Broderius, S.J. and L.L. Smith, Jr. 1979. Lethal and sublethal effects of binary mixtures of cyanide and hexavalent chromium, zinc, or ammonia to the fathead minnow (*Pimephales promelas*) and rainbow trout (*Salmo gairdneri*). Journal of the Fisheries Research Board of Canada 36(2):164-172.
- Brown, D.W., S.L. Chan, A.J. Friedman, K.L. Grams, D.G. Burrows, and W.D. MacLeod, Jr. 1985. Bioaccumulation study: Organic compounds in sediment and biota from Grays Harbor and reference area. Final report to the U.S. Army Corps of Engineers, Seattle, Washington.
- Brown, L.R., P.B. Moyle, and R.M. Yoshiyama. 1994. Historical decline and current status of coho salmon in California. North American Journal of Fisheries Management 14(2):237-261.
- Brown, M.E., J. MacLaine, and L. Flagg. 2006. Androscoggin River anadromous fish restoration program. Maine Department of Marine Resources, Stock Enhancement Division, Project Number AFC-37. Available: <http://www.nero.noaa.gov/statefedoff/grants/Anadromous/NA05NMF4051120.pdf> (February 2008).
- Brundage, H.M. and J.C. O'Herron. 2003. Population estimate for shortnose sturgeon in the Delaware River. Presented at the 2003 Shortnose Sturgeon Conference, 7-9 July 2003.
- Buhle, E. R., K. K. Holsman, M. D. Scheuerell, and A. Albaugh. 2009. Using an unplanned experiment to evaluate the effects of hatcheries and environmental variation on threatened populations of wild salmon. Biological Conservation 142(11):2449-2455.
- Burgner, R. L. 1991. The life history of sockeye salmon (*Oncorhynchus nerka*). Pages 3-117 in: C. Groot and L. Margolis, editors. Life history of Pacific salmon, University of British Columbia Press, Vancouver, British Columbia, Canada.

- Burton, C.A., J.A. Izbicki, and K.S. Paybins. 1998. Water-quality trends in the Santa Ana River at MWD Crossing and below Prado Dam, Riverside County, California. U.S. Geological Survey Water-Resources Investigations Report 97-4173. Sacramento, California.
- Busack, C. 1990. Yakima/Klickitat production project genetic risk assessment. Genetics Unit, Washington Department of Fisheries Olympia, Washington.
- Busby, P.J., T.C. Wainwright, G.J. Bryant, L.J. Lierheimer, R.S. Waples, F.W. Waknitz, and I.V. Lagomarsino. 1996. Status review of steelhead from Washington, Oregon, and California. U.S. Department of Commerce, National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, NOAA Technical Memorandum NMFS-NWFSC-27.
- Butterman, W.C. and H.E. Hilliard. 2005. Silver. Mineral commodity profiles. Open-file report 2004-1251. U.S. Department of the Interior, U.S. Geological Survey, Reston Virginia. Available: <http://pubs.usgs.gov/of/2004/1251/2004-1251.pdf> (February 2008).
- Cain, D.J., J.L. Carter, S.V. Fend, S.N. Luoma, C.N. Alpers, and H.E. Taylor. 2000. Metal exposure in a benthic macroinvertebrate, *Hydropsyche californica*, related to mine drainage in the Sacramento River. Canadian Journal of Fisheries and Aquatic Sciences 57:380–390.
- Cairns, J., Jr. and B.R. Niederlehner. 2003. Predictive ecotoxicology. Chapter 34 *in*: D.J. Hoffman, B.A. Rattner, G.A. Burton, Jr., and J. Cairns, Jr., editors. Handbook of Ecotoxicology. Second Edition. Lewis Publishers, Boca Raton.
- Calkins, D.G. 1989. Status of belukha whales in Cook Inlet, pages 109-112 in L.E. Jarvela and L.K. Thorsteinson, eds. U.S. Dep. Commer., NOAA OCSEAP Gulf of Alaska, Cook Inlet, and North Aleutian Basin information update meeting. Anchorage, AK, Feb 7-9, 1989. Anchorage, AK.
- Calow, P., R.M. Sibly, and V. Forbes. 1997. Risk assessment on the basis of simplified life-history scenarios. Environmental Toxicology and Chemistry 16(9):1983-1989.
- Carter, J.L. and V.H. Resh. 2005. Pacific coast rivers of the coterminous United States. Pages 541-590 *in*: A.C. Benke and C.E. Cushing, editors. Rivers of North America. Elsevier Academic Press, Burlington, Massachusetts. Available: [http://books.google.com/books?id=faOU1wkiYFIC&pg=RA3-PA541&lpg=RA3-PA541&dq=pacific+coast+rivers+of+the+coterminous+united+states&source=web&ots=-pMpyECFaA&sig=FkGrliwgkfdyHxXCWXRaK\\_XSvU#PPR1,M1](http://books.google.com/books?id=faOU1wkiYFIC&pg=RA3-PA541&lpg=RA3-PA541&dq=pacific+coast+rivers+of+the+coterminous+united+states&source=web&ots=-pMpyECFaA&sig=FkGrliwgkfdyHxXCWXRaK_XSvU#PPR1,M1) (February 2008).
- Cato, J.C. and C.L. Brown. 2003. Marine ornamental species: Collection, culture, and conservation. Blackwell Publishing. 395 pages.
- CBFWA (Columbia Basin Fish and Wildlife Authority). 1990. Review of the history, development, and management of anadromous fish production facilities in the Columbia River basin. Report number?, Columbia Basin Fish and Wildlife Authority, Portland, Oregon.
- CBP (Chesapeake Bay Program). 2007. Chesapeake Bay trends and indicators. Water quality. Available: <http://www.chesapeakebay.net/waterquality.htm> (February 2008).

- CDFG (California Department of Fish and Game). 1965. California fish and wildlife plan. Volume III supporting data: Part B, inventory salmon-steelhead and marine resources. California Department of Fish and Game, Sacramento, California.
- CDFG (California Department of Fish and Game). 1998. Report to the Fish and Game Commission: A status review of the spring-run Chinook salmon (*Oncorhynchus tshawytscha*) in the Sacramento River drainage. California Department of Fish and Game, Sacramento.
- CDFG (California Department of Fish and Game). 2002. California Department of Fish and Game comments to NMFS regarding green sturgeon listing.
- CDFG (California Department of Fish and Game). 2007. Final 2006 California commercial landings. Available: <http://www.dfg.ca.gov/marine/landings06.asp> (February 2008).
- Cech, J.J. Jr., S.I. Doroshov, G.P. Moberg, B.P. May, R.G. Schaffter, and D.M. Kohlhorst. 2000. Biological assessment of green sturgeon in the Sacramento-San Joaquin watershed (phase 1). Final Report to the CALFED Bay-Delta Program. Project # 98-C-15, Contract #B-81738.
- Cederholm, C.J., D.H. Johnson, R.E. Bilby, L.G. Dominguez, A.M. Garrett, W.H. Graeber, E.L. Greda, M.D. Kunze, B.G. Marcot, J.F. Palmisano, R.W. Plotnikoff, W.G. Percy, C.A. Simenstad, P.C. Trotter. 2000. Pacific salmon and wildlife – Ecological contexts, relationships, and implications for management. Special Edition Technical Report. Prepared for D.H. Johnson and T.A. O’Neil, Wildlife-Habitat Relationships in Oregon and Washington. WDFW, Olympia.
- Cervino, J.M., R.L. Hayes, M.Honovich, T.J. Goreau, S.Jones, P.J. Rubec. 2003. Changes in zooxanthellae density, morphology, and mitotic index in hermatypic corals and anemones exposed to cyanide. Marine Pollution bulletin 46: 573-586.
- CFEPTAP (Chesapeake Fisheries Ecosystem Plan Technical Advisory Panel). 2004. Fisheries ecosystem planning for Chesapeake Bay. National Oceanic and Atmospheric Administration, Chesapeake Bay Office, Annapolis, Maryland. Available: [http://chesapeakebay.noaa.gov/docs/FEP\\_DRAFT.pdf](http://chesapeakebay.noaa.gov/docs/FEP_DRAFT.pdf) (February 2008).
- Chamberland, K., B.A. Lindroth, and B. Whitaker. 2002. Genotoxicity in Androscoggin River smallmouth bass. Northeastern Naturalist 9(2):203-212.
- Chapman, D. and K. Witty. 1993. Habitat of weak salmon stocks in the Snake River basin and feasible recovery measures. Report to the Bonneville Power Administration, DOE/BP-99654-1, Portland, Oregon.
- Chapman, D., G.T. Hillman, D. Deppert, M. Erho, S. Hays, C. Peven, B. Suzumoto, and R. Klinge. 1994. Status of summer/fall Chinook salmon in the mid-Columbia region. Report to Chelan, Douglas, and Grant County PUDs, Boise, Idaho.
- Chapman, D.W. and T.C. Bjornn. 1969. Distribution of salmonids in streams, with special reference to food and feeding. Pages 153-176 in: Northcote, T.G., editor. Symposium on salmon and trout in streams H.R. MacMillan Lectures in Fisheries, University of British Columbia, Institute of Fisheries, Vancouver, British Columbia, Canada.
- Chapman, P.M. 1996. Alternatives to the NOEC based on regression analysis. Discussion paper,

- Annex 7, OECD Workshop on Statistical Analysis of Aquatic Ecotoxicity Data, Braunschweig, Germany, Oct.15-17, 1996. 5 pp.
- Chapman, P.M., R.S. Caldwell, and P.F. Chapman. 1996. A warning: NOECs are inappropriate for regulatory use. *Environmental Toxicology and Chemistry* 15:77-79.
- Chea, T. 2007. Red tide blamed for hundreds of dead, injured seabirds along California's Monterey Bay. Available: <http://climate.weather.com/articles/tide113007.html> (February 2008).
- Cheng, S.K. and S.M. Ruby. 1981. Effects of pulse exposure to sublethal levels of hydrogen cyanide on reproduction of American Flagfish. *Archives of Environmental Contamination and Toxicology* 10:105-116
- Chilcote, M.A. and M.R. Waterfield. 1995. Merrymeeting Bay: An assessment of pollution levels and sources. Bowdoin College, Brunswick, Maine.
- Christensen, I. 1984. Growth and reproduction of killer whales, *Orcinus orca*, in Norwegian coastal waters. Report of the International Whaling Commission, Special Issue 6:253-258.
- Clark, G.H. 1929. Sacramento-San Joaquin salmon (*Oncorhynchus tshawytscha*) fishery of California.
- Clark, M.E., K.A. Rose, D.A. Levine, and W.W. Hargrove. 2001. Predicting climate changes effects on Appalachian trout: Combining GIS and individuals-based modeling. *Ecological Applications* 11(1):161-178.
- Clark, S. T., D. K. Odell, and C. T. Lacinak. 2000. Aspects of growth in captive killer whales (*Orcinus orca*). *Marine Mammal Science* 16:110-123.
- Cloern, J.E. 2001. Our evolving conceptual model of the coastal eutrophication problem. *Marine Ecology Progress Series* 210:223-253.
- CMR (Chemical Market Reporter). 2008. Chemical profile for hydrogen cyanide. Available on the internet at: <http://www.the-innovation-group.com/chemprofile.htm> (June 2008)
- Cochran, J.K., D.J. Hirschberg, J. Wang, and C. Deer. 1998. Atmospheric deposition of metals to coastal waters (Long Island Sound, New York, USA): Evidence from saltmarsh deposits. *Estuarine, Coastal and Shelf Science* 46(4):503-522.
- Collins, B.D. and A.J. Sheikh. 2005. Historical reconstruction, classification, and change analysis of Puget Sound tidal marshes. Final report to Washington Department of Natural Resources Aquatic Resources Division, Olympia, Washington. Available: [http://riverhistory.ess.washington.edu/project\\_reports/finalrpt\\_rev\\_aug12\\_2005.pdf](http://riverhistory.ess.washington.edu/project_reports/finalrpt_rev_aug12_2005.pdf) (February 2008).
- Collins, M.R. and T.I.J. Smith. 1993. Characteristic of the adult segment of the Savannah River population of shortnose sturgeon (*Acipenser brevirostrum*). Southeastern Assoc. Fish & Wildl. Agencies. 47<sup>th</sup> Mtg., Atlanta, GA.
- Collins, M.R., S.G. Rogers, and T.I.J. Smith. 1996. Bycatch of sturgeons along the southern Atlantic coast of the USA. *North American Journal of Fisheries Management* 16:24-29.

- Colway, C. and D. E. Stevenson. 2007. Confirmed records of two green sturgeon from the Bering Sea and Gulf of Alaska. *Northwestern Naturalist* 88:188-192.
- Conaway, C.H., S. Squire, R.P. Mason, and A.R. Flegal. 2003. Mercury speciation in the San Francisco Bay estuary. *Marine Chemistry* 80(2– 3):199–225.
- Connor, W.P., J.G. Sneva, K.F. Tiffan, R.K. Steinhorst, and D. Ross. 2005. Two alternative juvenile life history types for fall Chinook salmon in the Snake River basin. *Transactions of the American Fisheries Society* 134:291-304.
- Cooke, D.W., J.P.Kirk, J.V. Morrow, Jr. 2004. Population dynamics of a migration limited shortnose sturgeon population. *Proc. Annu. Conf. Southeast Assoc. Fish and Wildl. Agencies* 58:82-91.
- Corkeron, P. J. 1995. Humpback whales (*Megaptera novaeangliae*) in Hervey Bay, Queensland - behavior and responses to whale-watching vessels. *The Canadian Journal of Zoology* 73:1290-1299.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2005. Assessment and update status report on the shortnose sturgeon *Acipenser brevirostrum* in Canada. Committee on the Status of Endangered Wildlife in Canada, Ottawa, Canada.
- Coulson, T., T. G. Benton, P. Lundberg, S. R. X. Dall, B. E. Kendall, and J. M. Gaillard. 2006. Estimating individual contributions to population growth: evolutionary fitness in ecological time. *Proceedings of the Royal Society of London, Series B: Biological Sciences* 273:547 - 555.
- Crane, M. and E. Godolphin. 2000. Statistical analysis of effluent bioassays. Environment Agency, Bristol, U.K. Research and Development Technical Report E19.
- Crane, M. and M.C. Newman. 2000. What level of effect is a no observed effect? *Environmental Toxicology and Chemistry* 19:516-519.
- CRWC (Connecticut River Watershed Council). 2006. Defending the watershed: Quabbin at risk, redux. *Currents and Eddies* 55(3):1-7.
- Cuffney, T.R., M.R. Meador, S.D. Porter, and M.E. Gurtz. 1997. Distribution of fish, benthic invertebrate, and algal communities in relation to physical and chemical conditions, Yakima River Basin, Washington 1990. U.S. Geological Survey, Water Resources-Investigation Report 96-4280, Raleigh, North Carolina.
- Dadswell, M.J. 1979. Biology and population characteristics of the shortnose sturgeon, *Acipenser brevirostrum* LeSueur 1818 (Osteichthyes: Acipenseridae), in the Saint John River estuary, New Brunswick, Canada. *Canadian Journal of Zoology* 57:2186-2210.
- Dadswell, M.J. and R.A. Rulifson. 1994. Macrotidal estuaries; a region of collision between migratory marine animals and tidal power development. *Biological Journal of the Linnean Soc.* 51:93-113.
- Dadswell, M.J., B.D. Taubert, T.S. Squiers, D. Marchette, and J. Buckley. 1984. Synopsis of biological data on shortnose sturgeon, *Acipenser brevirostrum* LeSueur, 1818. NOAA Technical Report-14.
- Dahlheim, M. E., S. Leatherwood, and W. F. Perrin. 1982. Distribution of killer whales in the

- warm temperate and tropical eastern Pacific. Reports of the International Whaling Commission 32:647-653.
- Dahlheim, M.E. and J.E. Heyning. 1999. Killer whale *Orcinus orca* (Linnaeus, 1758). Pages 281-322 in: S. Ridgway, and R. Harrison, editors. Handbook of Marine Mammals. Academic Press, San Diego, California.
- De Kroon, H., J. Van Groenendael, and J. Ehrlén. 2000. Elasticities: A review of methods and model limitations. Ecology 81(3):607-618.
- Demko, D.B. and S.P. Cramer. 2000. Effects of pulse flows on juvenile Chinook migration in the Stanislaus River. Report of S. P. Cramer & Associates, Inc. to South San Joaquin Irrigation District, Manteca, California and Oakdale Irrigation District, Oakdale, California.
- Deng, X. 2000. Artificial reproduction and early life stages of the green sturgeon (*Acipenser medirostris*). Ph.D. dissertation. University of California, Davis.
- Dennis, B., P.L. Munholland, and J.M. Scott. 1991. Estimation of growth and extinction parameters for endangered species. Ecological Monographs 61(2):115-143.
- DeVries, R.J. 2006. Population dynamics, movements, and spawning habitat of the shortnose sturgeon, *Acipenser brevirostrum*, in the Altamaha River. Master's thesis, University of Georgia.
- Dimick, R.E. and F. Merryfield. 1945. The fishes of the Willamette River system in relation to pollution. Oregon State College Engineering Experiment Station. Bulletin Series No. 20.
- Dixon, D.G. and G. Leduc. 1981. Chronic cyanide poisoning of rainbow trout and its effects on growth, respiration, and liver histopathology. Archives of Environmental Contamination and Toxicology 10(1):117-131.
- Dixon, D.G. and J.B. Sprague. 1981. Acclimation-induced changes in toxicity of arsenic and cyanide to rainbow trout, *Salmo gairdneri* Richardson. Journal of Fisheries Biology 18(5):579-589.
- Doggett, L. and J. Sowles. 1989. Maine's marine environment: a plan for protection: A report to the 114th legislature. Maine Department of Environmental Protection, Report number?, Augusta, Maine.
- Douderoff, D. 1976. Toxicity to fish of cyanides and related compounds – A review. EPA-600/3-76-038. US Environmental Protection Agency, Duluth, MN.
- Dovel, W.L. 1979. The biology and management of shortnose and Atlantic sturgeon of the Hudson River. Final Report to the New York State Department of Environmental Conservation. Project Number: AFS9-R.
- Dovel, W.L., A.W. Pekovitch, and T.J. Berggren. 1992. Biology of the shortnose sturgeon (*Acipenser brevirostrum* Lesueur, 1818) in the Hudson River estuary, New York. Pages 187-216 in: C.L. Smith, editor. Estuarine research in the 1980s. State University of New York Press, Albany, New York.
- Downing, K.M. 1954. The influence of dissolved oxygen on the toxicity of potassium cyanide to rainbow trout. Journal of Experimental Biology 31:161-164.

- Dubrovsky, N.M., C.R. Kratzer, L.R. Brown, J.M. Gronberg, and K.R. Burow. 1998. Water quality in the San Joaquin-Tulare Basins, California, 1992-1995. U.S. Department of the Interior, U.S. Geological Survey circular 1159, Reston, Virginia. Available: <http://pubs.usgs.gov/circ/circ1159/circ1159.pdf> (February 2008).
- Duffield, D.A. and K.W. Miller. 1988. Demographic features of killer whales in oceanaria in the United States and Canada, 1965-1987. *Rit Fiskideildar* 11:297-306.
- Dumbauld, B.R., D.L. Holden O.P. Langness. 2008. Do sturgeon limit burrowing shrimp populations in Pacific Northwest estuaries? *Environ Biol. Fish* 28:283-296.
- Dunn Jr., W.J. 2002. Merrimack River: 5 year watershed action plan 2002-2007. Executive Office of Environmental Affairs, Massachusetts Watershed Initiative, Department of Environmental Management, Devens, Massachusetts. Available: [http://www.mass.gov/envir/water/publications/WAPs/Merrimack\\_WAP\\_2002.pdf](http://www.mass.gov/envir/water/publications/WAPs/Merrimack_WAP_2002.pdf) (February 2008).
- Dwyer, F.J., F.L. Mayer, L.C. Sappington, D.R. Buckler, C.M. Bridges, I.E. Greer, D.K. Hardesty, C.E. Henke, C.G. Ingersoll, J.L. Kunz, D.W. Whites, D.R. Mount, K. Hattala, and G.N. Neuderfer. 2005 Assessing contaminant sensitivity of endangered and threatened fishes: I. Acute toxicity of five chemicals: *Archives of Environmental Contamination and Toxicology* 48(2):143-154.
- Dzombak, D.A., R.S. Ghosh, G.M. Wong-Chong. 2006. Cyanide in water and soil: Chemistry, risk and management. CRC Press, Taylor and Friends, Boca Raton, Florida.
- Ebbert, J. and S. Embrey. 2001. Pesticides in surface water of the Yakima River Basin, Washington, 1999-2000 – their occurrence and an assessment of factors affecting concentrations and loads. U.S. Department of the Interior, U.S. Geological Survey, Water Investigations Report 01-4211, Portland, Oregon. Available: <http://or.water.usgs.gov/pubs/WRIR01-4211/wri014211.pdf> (February 2008).
- Ehlke, R.D. and K. Keller. 2003. 2002 Chum salmon spawning ground surveys on the mainstem Columbia River and its Washington tributaries. Prepared for the Pacific States Marine Fisheries Commission, Vancouver, Washington by the Bonneville Power Administration, Portland, Oregon.
- EIA (Energy Information Administration). 2007. Emissions of greenhouse gases in the United States 2006. U.S. Department of Energy, Office of Integrated Analysis and Forecasting, Energy Information Administration. Washington, DC
- Eisler, R. 1991. Cyanide hazards to fish, wildlife, and invertebrates: A synoptic review. Biological Report 85(1.23). United States Fish and Wildlife Service.
- Environment Canada. 2005. Guidance document on statistical methods for environmental toxicity tests. Report EPS 1/RM/46, March 2005, Method Development and Applications Section, Environmental Technology Centre, Environment Canada. Ottawa, Ont. 241 pp.
- EPA (U.S. Environmental Protection Agency). 1985. Ambient water quality criteria for cyanide – 1984. EPA 440/5-84-028. Office of Water, Regulations and Standards, Criteria and Standards Division, Washington D.C.

- EPA (U.S. Environmental Protection Agency). 1991. Technical support document for water quality-based toxics control. EPA/505/2-90-001. Office of Water, Washington D.C. March 1991.
- EPA (U.S. Environmental Protection Agency). 1994. Water quality standards handbook. Second Edition. EPA 823-B-94-005a, Office of Water, Washington D.C.
- EPA (U.S. Environmental Protection Agency). 1999. Introduction to water quality standards. EPA-823-F-99-020. Office of Water, October 1999.
- EPA (U.S. Environmental Protection Agency). 2004. Draft aquatic life water quality criteria for selenium – 2004. EPA 822-D-04-001, November 2004. U.S. Environmental Protection Agency, Washington, D.C. 170 pp.
- EPA (U.S. Environmental Protection Agency). 2005. Cyanide technical fact sheet. Available on the web at: <http://www.epa.gov/OGWDW/dwh/t-ioc/cyanide.html>.
- EPA (U.S. Environmental Protection Agency). 2006. EPA identifies pharmaceutical research facility as source of cyanide-related discharge to Wissahickon Creek. EPA News Release 6/22/2006. Available on the internet at: <http://yosemite.epa.gov>.
- EPA (U.S. Environmental Protection Agency). 2007. Biological evaluation of aquatic life criteria – cyanide. U.S. EPA, Office of Water & Office of Science and Technology, Washington D.C. 232 pages.
- EPA (U.S. Environmental Protection Agency). 2008a. Water quality standards academy participant manual. EPA Office of Science and Technology, Standards and Health Protection Division. EPA-823-B-00-005.
- EPA (U.S. Environmental Protection Agency). 2008b. Supplemental material for the CN consultation. EPA Authorities related to development and review of water quality standards. July 16, 2008. Office of Water, EPA to NMFS and FWS. Email from D. Thomas, EPA, to A. Garrett, NMFS; plus 2 attachments.
- EPA (U.S. Environmental Protection Agency). 2008c. Fairfield coal gasification plant. EPA Region 7. 28 May 2008. Available on the internet at: [http://www.epa.gov/Region7/cleanup/npl\\_files/iad981124167.pdf](http://www.epa.gov/Region7/cleanup/npl_files/iad981124167.pdf). date accessed.
- EPA (U.S. Environmental Protection Agency). 2008d. Toxics release inventory chemical report on hydrogen cyanide. 21 Feb 2008. Available on the Internet at: <http://www.epa.gov/triexplorer/>.
- EPA (U.S. Environmental Protection Agency). 2008e. MSGP. Final multisector general permit for stormwater discharges associated with industrial activity (MSGP). [http://www.epa.gov/npdes/pubs/msgp2008\\_finalpermit.pdf](http://www.epa.gov/npdes/pubs/msgp2008_finalpermit.pdf)
- EPA. (U.S. Environmental Protection Agency). 2002. Toxicity relationship analysis program. National Health and Environmental Effects Research Laboratory. Mid-Continent Ecology Division, Duluth, MN.
- Erbe, C. 2002. Underwater noise of whale-watching boats and potential effects on killer whales (*Orcinus orca*), based on an acoustic impact model. Marine Mammal Science 18:394-418.

- ERC (Environmental Research and Consulting, Inc.). 2002. Contaminant analysis of tissues from two shortnose sturgeon (*Acipenser brevirostrum*) collected in the Delaware River. National Marine Fisheries Service, Gloucester, Massachusetts.
- ERC (Environmental Research and Consulting, Inc.). 2003. Contaminant analysis of tissues from a shortnose sturgeon (*Acipenser brevirostrum*) from the Kennebec River, Maine. National Marine Fisheries Service, Gloucester, Massachusetts.
- Erickson, D. L., and J. E. Hightower. 2007. Oceanic distribution and behavior of green sturgeon (*Acipenser medirostris*). Pages 197–211 in J. Munro, J. E. Hightower, K. McKown, K. J. Sulak, A. W. Kahnle, and F. Caron, editors. Anadromous sturgeons: habitats, threats, and management. American Fisheries Society, Symposium 56, Bethesda, MD
- Erickson, D.L., and M.A.H. Webb. 2007. Spawning periodicity, spawning migration, and size at maturity of green sturgeon, *Acipenser medirostris*, in the Rogue River, Oregon. *Environmental Biology of Fishes* 79:255-268.
- Erickson, D.L., J.A. North, J.E. Hightower, J. Webb, and L. Lauck. 2001. Movement and habitat use of green sturgeon *Acipenser medirostris* in the Rogue River, Oregon. Unpublished draft.
- Evans, P. G. H. 1992. Status review of cetaceans in British and Irish waters. Report prepared by Sea Watch Foundation for the United Kingdom Department of the Environment, Oxford, United Kingdom.
- Evans, P. G. H., P. J. Canwell, and E. J. Lewis. 1992. An experimental study of the effects of the pleasure craft noise upon bottlenose dolphins in Cardigan Bay, West Wales. Pages 60-64 in P. G. H. Evans, editor. European research on cetaceans 6: Proceedings of the European Cetacean Society. European Cetacean Society, Montpellier, France.
- Ewald, R.J. 2003. Technology and transportation:1790-1870. R.J. Ewald and A.D. Mulligan, eds. Proud to live here. Connecticut River Joint Commissions, Charlestown, New Hampshire. Available:  
[http://www.flowofhistory.org/themes/technology\\_transportation/transportation.php](http://www.flowofhistory.org/themes/technology_transportation/transportation.php)  
(February 2008).
- Ezer, T., R. Hobbs, L.Y. Oey. 2008. On the movement of beluga whales in Cook Inlet, Alaska: Simulations of tidal and environmental impacts using a hydrodynamic inundation model. *Oceanography* 21(4): 186-195.
- Farag, A.M., C.J. Boese, D.F. Woodward, and H.L. Bergman. 1994. Physiological changes and tissue metal accumulation in rainbow trout exposed to foodborne and waterborne metals. *Environmental Toxicology and Chemistry* 13:2021-2029.
- Félix, F. 2001. Observed changes of behavior in humpback whales during whalewatching encounters off Ecuador. in 14th Biennial Conference on the Biology of Marine Mammals, Vancouver, Canada.
- Felleman, F., J. R. Heimlich-Boran, and R. W. Osborne. 1991. The feeding ecology of killer whales (*Orcinus orca*) in the Pacific Northwest. Pages 113-148 in K. Pryor, and K. Norris, editors. Dolphin societies, discoveries, and puzzles. University of California Press, Berkeley, California.

- FFWCC (Florida Fish and Wildlife Conservation Commission). 2007. Shortnose sturgeon population evaluation in the St. Johns River, FL: Has there ever been a shortnose sturgeon population in Florida's St. Johns River? Available: [http://research.myfwc.com/features/view\\_article.asp?id=24341](http://research.myfwc.com/features/view_article.asp?id=24341) (April 2008).
- Figueroa, E.B. and R.A. Woods. 2007. Employment outlook:2006–2016. Industry output and employment projections to 2016. Monthly Labor Review November 2007:53-85.
- Finney, B.P., J. Alheit, K-C. Emeis, D.B. Field, D. Gutiérrez, and U. Struck. 2009. Paleoecological studies on variability in marine fish populations: A long-term perspective on the impacts of climatic change on marine ecosystems. Journal of Marine Systems.
- Fischer, J.M., K. Riva-Murray, R.E. Hickman, D.C. Chichester, R.A. Brightbill, K.M. Romanok, and M.D. Bilger. 2004. Water quality in the Delaware River Basin, Pennsylvania, New Jersey, New York, and Delaware, 1998-2001. U.S. Department of the Interior, U.S. Geological Survey 1227, Reston, VA.
- Fisher, F.W. 1994. Past and present status of Central Valley Chinook salmon. Conservation Biology 8:870–873.
- Fisher, T. and R. Hinrichsen. 2006. Abundance-based trend results for Columbia Basin salmon and steelhead ESUs. Bonneville Power Administration, Portland, Oregon.
- Flagg, T.A., F.W. Waknitz, D.J. Maynard, G.B. Milner, and C.V.W. Mahnken. 1995. The effect of hatcheries on native coho salmon populations in the lower Columbia River. Pages 366-375 in: H. Schramm and R. Piper, editors. Uses and effects of cultured fishes in aquatic systems. American Fisheries Society, Bethesda, Maryland.
- Flather, R.A., J.A. Smith, J.D. Richards, C. Bell, and D.L. Blackman. 1998. Direct estimates of extreme storm surge elevations from a 40-year numerical model simulation and from observations. Global Atmosphere and Ocean System 6:165-176.
- Flournoy, P.H., S.G. Rogers, and P.S. Crawford. 1992. Restoration of shortnose sturgeon in the Altamaha River, Georgia. Final Report to the United States Fish and Wildlife Service.
- Foerster, R.E. 1968. The sockeye salmon. Bulletin of the Fisheries Research Board of Canada. No. 162.
- Foote, A. D., R. W. Osborne, and A. R. Hoelzel. 2004. Whale-call response to masking boat noise. Nature 428:1.
- Foote, A.D., R.W. Osborne, and A.R. Hoelzel. 2004. Whale-call response to masking boat noise. Nature 428:910.
- Forbes, V.E., R.M. Sibly, and P. Callow. 2001. Toxicant impacts on density-limited populations: a critical review of theory, practice, and results. Ecological Applications 11(4):1249-1257.
- Ford, J. K. B. and G. M. Ellis. 2006. Selective foraging by fish-eating killer whales *Orcinus orca* in British Columbia. Marine Ecology Progress Series 316:185-199.
- Ford, J. K. B., G. M. Ellis, and K. C. Balcomb. 1994. Killer whales: the natural history and genealogy of *Orcinus orca* in British Columbia and Washington State. University of British Columbia Press, Vancouver, British Columbia, Canada.

- Ford, J.K.B. 2002. Killer whale *Orcinus orca*. Pages 669-676 in: W.F. Perrin, B. Würsig, and J.G.M. Thewissen, editors. Encyclopedia of marine mammals. Academic Press, San Diego, California.
- Ford, J.K.B. and G.M. Ellis. 2005. Prey selection and food sharing by fish-eating 'resident' killer whales (*Orcinus orca*) in British Columbia. Department of Fisheries and Oceans, Canada, Canadian Science Advisory Secretariat 2005/041.
- Ford, J.K.B., G.M. Ellis, and K.C. Balcomb. 2000. Killer whales: The natural history and genealogy of *Orcinus orca* in British Columbia and Washington State, 2nd Edition. UBC Press, Vancouver, British Columbia.
- Ford, J.K.B., G.M. Ellis, L.G. Barrett-Lennard, A.B. Morton, R.S. Palm, K.C. Balcomb. 1998. Dietary specialization in two sympatric populations of killer whale (*Orcinus orca*) in coastal British Columbia and adjacent waters. Canadian Journal of Zoology 76:1456-1471.
- Foster, E.P., M.S. Fitzpatrick, G.W. Feist, C.B. Schreck, and J. Yates. 2001. Gonad organochlorine concentrations and plasma steroid levels in white sturgeon (*Acipenser transmontanus*) from the Columbia River, USA. Bulletin of Environmental Contamination and Toxicology 67:239-245.
- Fox, G. A., B. E. Kendall, J. W. Fitzpatrick, and G. E. Woolfenden. 2006. Consequences of heterogeneity in survival probability in a population of Florida scrub-jays. Journal of Animal Ecology 75:921-927.
- Franklin, J.F. and C.T. Dyrness. 1973. Natural vegetation of Oregon and Washington. U.S. Department of Agriculture, U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, USDA Forest Service General Technical Report PNW-8, Portland, Oregon. Available: [http://www.fs.fed.us/pnw/pubs/pnw\\_gtr008.pdf](http://www.fs.fed.us/pnw/pubs/pnw_gtr008.pdf) (February 2008).
- French, R., H. Bilton, M. Osako, and A. Hartt. 1976. Distribution and origin of sockeye salmon (*Oncorhynchus nerka*) in offshore waters of the North Pacific Ocean. International North Pacific Fisheries Commission Bulletin 34.
- French, R., H. Bilton, M. Osako, and A. Hartt. 1976. Distribution and origin of sockeye salmon (*Oncorhynchus nerka*) in offshore waters of the North Pacific Ocean. Int. North Pac. Fish. Comm. Bull. 34, 113 p. Fulton 1968
- Fresh, K. 1997. The Role of competition and predation in the decline of Pacific salmon and steelhead. Pages 245-275 in: D.J. Stouder, P.A. Bisson, and R.J. Naiman, editors. Pacific salmon and their ecosystems: Status and future options. Chapman and Hall, New York.
- Fry, D. H., Jr. 1961. King salmon spawning stocks of the California Central Valley, 1940-1959. California Fish and Game 47(1):55-71.
- Fuhrer, G.J., J.L. Morace, H.M. Johnson, J.F. Rinella, J.C. Ebbert, S.S. Embrey, I.R. Waite, K.D. Carpenter, D.R. Wise, and C.A. Hughes. 2004. Water quality in the Yakima Basin, Washington, 1999-2000. U.S. Department of the Interior, U.S. Geological Survey Circular 1237, water research investigations report 03-4026, Portland, Oregon. Available: <http://pubs.usgs.gov/wri/wri034026/pdf/wri034026.pdf> (February 2008).

- Fulton, L.A. 1970. Spawning areas and abundance of steelhead trout and coho, sockeye, and chum salmon in the Columbia River basin- past and present. NOAA Technical Report, NMFS-SSRF 618.
- Gaba, J.M. 1983. Federal supervision of state water quality standards under the Clean Water Act. *Vanderbilt Law Review*. 36(5):1167-1219.
- Gad, S. and C.S. Weil. 1988. *Statistics and experimental design for toxicologists* (2<sup>nd</sup> Ed.). Telford Press, Caldwell, NJ.
- GAO (Government Accountability Office). 2002. Water quality. Inconsistent state approaches complicate nation's efforts to identify its most polluted waters. GAO-02-186. January 2002.
- GAO (Government Accountability Office). 2003. Water quality. Improved EPA guidance and support can help states develop standards that better target cleanup efforts. GAO-03-308. January 2003.
- Gavin, J. 2004. Summit mine (Colorado) and pollution. TED case studies 5.2 (June 1996). The Summittville Mine. American University. Available on the internet at: <http://www.american.edu/TED/summit.htm>.
- Gaydos, J. K., K. C. Balcomb Iii, R. W. Osborne, and L. Dierauf. 2004. Evaluating potential infectious disease threats for southern resident killer whales, *Orcinus orca*: a model for endangered species. *Biological Conservation* 117:253-262.
- Geist, D.R., C.J. Murray, T.P. Hanrahan, and Y. Xie. 2009. A model of the effects of flow fluctuations on fall Chinook salmon spawning habitat availability in the Columbia River. *North American Journal of Fisheries Management* 28:1911-1927.
- Gensemer, R.W., D.K. DeForest, R.D. Cardwell, D. Dzombak, and R.Santore. 2007. Scientific review of cyanide ecotoxicology and evaluation of ambient water quality criteria. Final Report 01-ECO-01. Water Environment Research Foundation. IWA Publishing.
- Gensemer, R.W., D.K. DeForest, R.D. Cardwell, D. Dzombak, R. Santore, and M. Stewart. 2006. Reassessment of cyanide ambient water quality criteria: An integrated approach to protection of the aquatic environment. Water Environment Foundation. WEFTEC.06:5709-5718.
- Gilbert, C.R. 1989. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Mid-Atlantic Bight): Atlantic and shortnose sturgeons. United States Fish and Wildlife Service Biological Report-Report Number-82 (11.91).
- Glenn, D.W., III and J.J. Sansalone. 2002. Accretion and partitioning of heavy metals associated with snow exposed to urban traffic and winter storm maintenance activities II. *Journal of Environmental Engineering* 128(2):167-185.
- Goetz, K.T., D.J. Ruch, A.J. Read, and R.C. Hobbs. 2007. Habitat use in a marine ecosystem: Beluga whales *Delphinapterus leucas* in Cook Inlet, Alaska. *Mar. Ecol. Prog. Ser.* 330:247-256.
- Good, T.P., R.S. Waples, and P. Adams. 2005. Updated status of federally listed ESUs of West Coast salmon and steelhead. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-NWFSC-66.

- Goodwin, L., and P. A. Cotton. 2004. Effects of boat traffic on the behavior of bottlenose dolphins (*Tursiops truncatus*). *Aquatic Mammals* 30:270-283.
- Grant, A. and T.G. Benton. 2000. Elasticity analysis for density-dependent populations in stochastic environments. *Ecology* 81(3):680-693.
- Gregory, S.V. and P.A. Bisson. 1997. Degradation and loss of anadromous salmonid habitat in the Pacific Northwest. Pages 277-314 *in*: D. J. Stouder, P. A. Bisson, and R. J. Naiman, editors. *Pacific salmon and their ecosystems: Status and future options*. Chapman & Hall, New York, NY.
- Gresh, T., J. Lichatowich, and P. Schoonmaker. 2000. An estimation of historic and current levels of salmon production in the Northeast Pacific ecosystem: Evidence of a nutrient deficit in the freshwater systems of the Pacific Northwest. *Fisheries*. Jan 2000:15-21.
- Gronlund, W.D., S.L. Chan, B.B. McCain, R.C. Clark Jr., M.S. Myers, J.E. Stein, D.W. Brown, J.T. Landahl, M.M. Krahn, and U. Varanasi. 1991. Multidisciplinary assessment of pollution at three sites in Long Island Sound. *Estuaries* 14(3):299-305.
- Groot, C. and L. Margolis. 1991. *Pacific salmon life histories*. University of British Columbia. University of British Columbia Press, Vancouver, Canada.
- Gross, M.R., J. Repka, C.T. Robertson, D.H. Secor, and W.B. Winkle. 2002. Sturgeon conservation: Insights from elasticity analysis. Pages 13-30 *in*: W. Van Winkle, P. Anders, D.H. Secor, and D. Dixon, editors. *Biology, management, and protection of North American sturgeon*. American Fisheries Society, Symposium 28, Bethesda, Maryland.
- Grunwald, C., J. Stabile, J.R. Waldman, R. Gross, and I. Wirgin. 2002. Population genetics of shortnose sturgeon *Acipenser brevirostrum* based on mitochondrial DNA control region sequences. *Molecular Ecology* 11: 1885-1898.
- Hall, S. J. 1999 *The effects of fishing on marine ecosystems and communities*. Oxford: Blackwell Science.
- Hallock, R.J., W.F. Van Woert, and L. Shapovalov. 1961. An evaluation of stocking hatchery-reared steelhead rainbow trout (*Salmo gairdneri gairdneri*) in the Sacramento River System. *Fisheries Bulletin* 114:1-74.
- Halpern, B.S., K.A., Slecoe, F. Micheli, and C.V. Kappel. 2007. Evaluating and ranking the vulnerability of global marine ecosystems to anthropogenic threats. *Conservation Biology* 21(5):1301-1315.
- Hanson, M.B., R.W. Baird, C. Emmons, J. Hempelmann, G.S. Schorr, J. Sneva, and D. Van Doornik. 2007b. Summer diet and prey stock identification of the fish-eating "southern resident" killer whale: addressing a key recovery need using fish scales, fecal samples, and genetic techniques. 17th Biennial Conference on the Biology of Marine Mammals, Capetown, South Africa.
- Hanson, M.B., R.W. Baird, and G.S. Schorr. 2005. Focal behavioral observations and fisheating killer whales: Improving our understanding of foraging behavior and prey selection. 16th Biennial Conference on the Biology of Marine Mammals.

- Hanson, M.B., R.W. Baird, C. Emmons, J. Hempelmann, G.S. Schorr, J. Sneva, and D. Van Doornik. 2007a. Stock identification of prey selected by "southern resident" killer whales in their summer range. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, and Cascadia Research Collective, Olympia, Washington.
- Hard, J., R.P. Jones, Jr., M.R. Delarm, and R.S. Waples. 1992. Pacific salmon and artificial propagation under the endangered species act. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northwest Fisheries Science Center, Technical Memorandum NMFS-NWFSC-2, Seattle, Washington. Available: <http://www.nwfsc.noaa.gov/publications/techmemos/tm2/tm2.html> (February 2008).
- Harding Lawson Associates. 1999. Draft engineering evaluation/cost analysis, Eastland Woolen Mill site, Corinna, Maine. U.S. Army Corps of Engineers, New England District. Concord, Massachusetts.
- Harding Lawson Associates. 2000. Draft volume I engineering evaluation report, Eastland Woolen Mill site, Corinna, Maine. U.S. Army Corps of Engineers, New England District. Concord, Massachusetts.
- Harned, D.A. and D. Meyer. 1983. Water quality of the Yadkin-Peedee River system, North Carolina: variability, pollution loads, and long-term trends, in water quality of North Carolina streams. U.S. Department of the Interior, U.S. Geological Survey, water supply paper 2185-E, Raleigh, North Carolina.
- Hart, J. F. 1991. Our Changing Cities. The John Hopkins University Press. Baltimore, MD.
- Hartt, A.C. and M.B. Dell. 1986. Early oceanic migrations and growth of juvenile Pacific salmon and steelhead trout. International North Pacific Fisheries Commission Bulletin 47.
- Hastings, R.W., J.C. O'Herron II, K. Schick, and M.A. Lazzari. 1987. Occurrence and distribution of shortnose sturgeon, *Acipenser brevirostrum*, in the upper tidal Delaware River. Estuaries 10(4):337-341.
- Hatten, J.R. and K.F. Tiffan. 2009. A spatial model to assess the effects of hydropower operations on Columbia River fall Chinook salmon spawning habitat. North American Journal of Fisheries Management 29:1379-1405.
- Hayashi, T.I., M. Kamo, and Y. Tanaka. 2008. Population-level ecological effect assessment: estimating the effect of toxic chemicals on density-dependent populations. Ecological Research 24(5):945-954.
- Hayden, A. 1998. Merrymeeting Bay: An environmental review. Resource Services for Friends of Merrymeeting Bay, Brunswick, Maine. Available: <http://www.link75.org/mmb/Cybrary/ahayden/mmbenvre.html> (February 2008).
- Hayes, S.A., M.H. Bond, C.V. Hanson, and E.V. Freund. 2008. Steelhead growth in a small central California watershed: Upstream and estuarine rearing patterns. Transactions of the American Fisheries Society 137:114-128.
- Hayman, R.A., E.M. Beamer, and R.E. McClure. 1996. FY 1995 Skaig River Chinook restoration research. Report by Skagit System Cooperative, La Conner, Washington:54p + Appendices.

- Hazard, K. 1988. Beluga whale, *Delphinapterus leucas*, p. 195-235 in J.W. Lentfer, ed. Selected marine mammals of Alaska: Species accounts with research and management recommendations. Mar. Mammal Comm., Washington, D.C.
- Healey, M.C. 1983. Coastwide distribution and ocean migration patterns of stream- and ocean-type Chinook salmon, *Oncorhynchus tshawytscha*. Canadian Field-Naturalist 97:427-433.
- Healey, M.C. 1991. Life history of Chinook salmon (*Oncorhynchus tshawytscha*). Pages 311-394 in: C. Groot and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press. Vancouver, Canada.
- Hebdon, J.L., P. Kline, D. Taki, and T.A. Flagg. 2004. Evaluating reintroduction strategies for Redfish Lake sockeye salmon captive broodstock strategy. Pages 401-413 in: Nickum, M.J., P.M. Mazik, J.G. Nickum, and D.D. MacKinlay, editors. Propagated fish in resource management. American Fisheries Society, Symposium 44, American Fisheries Society, Bethesda, Maryland.
- Heimlich-Boran, J.R. 1986. Fishery correlations with the occurrence of killer whales in Greater Puget Sound. Pages 113-131 in B.C. Kirkevold, and J.S. Lockard, editors. Behavioral biology of killer whales. Alan R. Liss, New York, NY.
- Heimlich-Boran, J.R. 1988. Behavioral ecology of killer whales (*Orcinus orca*) in the Pacific Northwest. Canadian Journal of Zoology 66:565-578.
- Heppel, S.S. 2007. Elasticity analysis of green sturgeon life history. Environmental Biology of Fishes 79:357-368.
- Heppell, S.S., H. Caswell, and L.B. Crowder. 2000. Life histories and elasticity patterns: perturbation analysis for species with minimal demographic data. Ecology 81(3):654-665.
- Herman, D. P., D. G. Burrows, P. R. Wade, J. W. Durban, C. O. Matkin, R. G. LeDuc, L. G. Barrett-Lennard, and M. M. Krahn. 2005. Feeding ecology of eastern North Pacific killer whales *Orcinus orca* from fatty acid, stable isotope, and organochlorine analyses of blubber biopsies. Marine Ecology Progress Series 302:18.
- Heublein, J.C., J.T. Kelly, C.E. Crocker, A.P. Klimley, and S.T. Lindley. 2009. Migration of green sturgeon, *Acipenser medirostris*, in the Sacramento River. Environmental Biology of Fishes 84(3):245-258.
- Hicks, B.J., J.D. Hall, P.A. Bisson, & J.R. Sedell. 1991. Responses of salmonids to habitat changes. Pages 483-518 in W.R. Meehan (ed.), Influences of Forest and Rangeland Management on Salmonid Habitat. American Fisheries Society Special Publication 19. Bethesda, Maryland.
- Hinck, J.E., C.J. Schmitt, T.M. Bartish, N.D. Denslow, V.S. Blazer, P.J. Anderson, J.J. Coyle, G.M. Dethloff and D.E. Tillitt. 2004. Biomonitoring of Environmental Status and Trends (BEST) Program: Environmental Contaminants and their effects on fish in the Columbia River basin. US Dept. of Interior, U.S. Geological Survey, Columbia Environmental Research Center, Columbia, MO. Scientific Investigations Report 2004—5154, 125 pages.

- Hobbs, F. and N. Stoops. 2002. Demographic trends in the 20<sup>th</sup> century-census 2000 special reports. Department of Commerce, Bureau of the Census. Accessed 10/7/08, available at: <http://www.census.gov/population/www/censusdata/hiscendata.html>
- Hobbs, R. C., K. L. Laidre, D.J. Vos, B.A. Mahoney, and M. Eagleton. 2005. Movements and area use of belugas, *Delphinapterus leucas*, in a subarctic Alaskan estuary. Arctic Research of the United States 58(4): 331-340.
- Hobbs, R.C., and K.E.W. Shelden. 2008. Supplemental status review and extinction assessment of Cook Inlet belugas (*Delphinapterus leucas*). Oct. 2008. AFSC Processed Rep. 2008-08, 76 pages. AFSC, NOAA, NMFS, Seattle, WA. Available online at: <http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/belugawhale.htm>
- Hobbs, R.C., K.E.W. Shelden, D.J. Rugh, and S.A. Norman. 2008. 2008 status review and extinction assessment of Cook Inlet belugas (*Delphinapterus leucas*). Apr. 2008. AFSC Processed Rep. 2008-02, 116 pages. AFSC, NOAA, NMFS, Seattle, WA. Available online at: <http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/belugawhale.htm>
- Hoffman, D.J., B.A. Rattner, G.A. Burton Jr., and J. Cairns Jr. 2003. Handbook of ecotoxicology. Lewis Publishers, New York.
- Hoffman, J.L.R. 2008. The 2008 Susquehanna River Basin water quality assessment report.
- Holcombe, G.W., M.S. Pasha, K.M. Jensen, J.E. Tietge, and G.T. Ankley. 2000. Effects of photoperiod manipulation on brook trout reproductive development, fecundity, and circulating sex steroid concentrations. North American Journal of Aquaculture 62(1):1-11.
- Holt, M.M., D.P. Noren, V. Veirs, C.K. Emmons, and S. Veirs. 2009. Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. Journal of the Acoustical Society of America 125(1):E127-E132.
- Houghton, R. A. 1994. The Worldwide Extent of Land-Use Change, Bioscience 44(5):305-313.
- Houston, J.J. 1988. Status of green sturgeon, *Acipenser medirostris*, in Canada. Canadian Field-Naturalist 102:286-290.
- Howell, P., K. Jones, D. Scarnecchia, L. LaVoy, W. Kendra, and D. Ortmann. 1985. Stock assessment of Columbia River anadromous salmonids. Volume II: Steelhead stock summaries, stock transfer guidelines, and information needs. Final Report to the Bonneville Power Administration for Contract No. DE-A179-84BP12737, Bonneville Power Administration, Portland, Oregon.
- Hoyt, E. 1990. Orca: the whale called killer. 3rd edition. Camden House Publishing, North York, Ontario, Canada.
- Huntington, H.P. 2000. Traditional knowledge of the ecology of beluga, *Delphinapterus leucas*, in Cook Inlet, Alaska. Marine Fisheries Review 62(3):134-140. Moore et al. 2000
- ICBTRT (Interior Columbia Basin Technical Recovery Team). 2003. Independent populations of Chinook, steelhead, and sockeye for listed evolutionarily significant units within the Interior Columbia River Domain. Northwest Fisheries Science Center, Seattle, Washington.

- IPCS (International Programme on Chemical Safety) 2002. Global assessment of the state-of-the-science of endocrine disruptors. WHO/PCS/EDC/02.2
- ISAB (Independent Scientific Advisory Board). 2007. Climate change impacts on Columbia River basin fish and wildlife. ISAB, Report 2007-2, Portland, Oregon.
- ISG (Independent Science Group). 1996. Return to the river: Restoration of salmonid fishes in the Columbia River ecosystem. Northwest Power Planning Council, Independent Science Group report 96-6, Portland, Oregon. Available: <http://www.ecy.wa.gov/programs/WR/wstf/images/pdf/normrivr.pdf> (February 2008).
- Israel, J.A., K.J. Bando, E.C. Anderson, and B. May. 2009. Polyploid microsatellite data reveal stock complexity among estuarine North American green sturgeon (*Acipenser medirostris*). Canadian Journal of Fisheries and Aquatic Sciences 66(9):1491-1504.
- Jackson, J.K., A.D. Huryn, D.L. Strayer, D.L. Courtemanch, and D.W. Sweeney. 2005. Atlantic coast rivers of the northeastern United States. Pages 21-71 in: A.C. Benke and C.E. Cushing, editors. Rivers of North America. Elsevier Academic Press, Burlington, Massachusetts. Available: [http://books.google.com/books?id=faOU1wkiYFIC&pg=RA3-PA541&lpg=RA3-PA541&dq=pacific+coast+rivers+of+the+coterminous+united+states&source=web&ots=-pMpyECFaA&sig=FkGrIiwgkfDyHxXCWXRaIK\\_XSvU#PPR1,M1](http://books.google.com/books?id=faOU1wkiYFIC&pg=RA3-PA541&lpg=RA3-PA541&dq=pacific+coast+rivers+of+the+coterminous+united+states&source=web&ots=-pMpyECFaA&sig=FkGrIiwgkfDyHxXCWXRaIK_XSvU#PPR1,M1) (February 2008).
- Jacobs, R., G. Larson, J. Meyer, N. Currence, J. Hinton, M. Adkinson, R. Burgner, H. Geiger, and L. Lestelle. 1996. The sockeye salmon *Oncorhynchus nerka* population in Lake Ozette, Washington, USA. U.S. Department of the Interior, National Park Service Technical Report NPS/CCSOSU/NRTR-96/04.
- Jensen, M.E. 1993. Induction of ovulation in Arctic char held under unchanging temperature and photoperiod. Progressive Fish Culturist 55:32-34
- Johnson, A. and A. Newman. 1983. Water quality in the gap-to-gap reach of the Yakima River, June – October 1982. Washington Department of Ecology, Olympia, Washington. Available: <http://www.ecy.wa.gov/biblio/83e17.html> (February 2008).
- Johnson, J. 1999. Nehalem river watershed assessment. Portland State University, Upper and Lower Nehalem River Watershed Councils. Available: <http://web.pdx.edu/~maserj/project/project1/contents.htm> (February 2008).
- Johnson, M.L. 1964. San Lorenzo River System, Santa Cruz County. CDFG Region 3, unpublished file report. Administrative Record for coho salmon in Scott and Waddell Creeks. National Marine Fisheries Service, Southwest Regional Office, Long Beach, California.
- Jones, R.J. and A.L. Steven. 1997. Effects of cyanide on corals in relation to cyanide fishing on reefs. Marine and Freshwater Research 48:517-522.
- Jones, R.J. and O. Hoegh-Guldberg. 1999. Effects of cyanide on coral photosynthesis: Implications for identifying the cause of coral bleaching and for assessing the environmental effects of cyanide fishing, Marine Ecology Progress Series 177:83-91.
- Joy, J. 2002. Upper Yakima River basin suspended sediment and organochlorine pesticide total maximum daily load evaluation. Washington Department of Ecology, publication number

- 02-30-012, Olympia, Washington. Available:  
<http://www.ecy.wa.gov/biblio/0203012.html> (February 2008).
- Joy, J. and A. Madrone. 2002. Data summary: Upper Yakima River basin suspended sediment and organochlorine TMDL evaluation. Washington Department of Ecology, publication number 02-30-032, Olympia, Washington. Available:  
<http://www.ecy.wa.gov/biblio/0203032.html> (February 2008).
- Kahl, S. 2001. A public forum for information and perspectives on dioxin in the Maine environment. *Waterlines* 6(2):1-10.
- Kakuschke, A. and A. Prange. 2007. The influence of metal pollution on the immune system a potential stressor for marine mammals in the North Sea. *International Journal of Comparative Psychology* 20:179-193.
- Kakuschke, A., and A. Prange. 2007. The influence of metal pollution on the immune system a potential stressor for marine mammals in the North Sea. *International Journal of Comparative Psychology* 20: Retrieved from:  
<http://escholarship.org/uc/item/55p54w59tj>.
- Kalleberg, H. 1958. Observations in a stream tank of territoriality and competition in juvenile salmon and trout (*Salmo salar* L. and *Salmo trutta* L.). Report of the Institute of Freshwater Research, Drottningholm 39:55-98.
- Kammenga, J. E., M. Busschers, N. M. Van Straalen, P. C. Jepson, J. Bakker. 1996. Stress induced fitness reduction is not determined by the most sensitive life-cycle trait *Functional Ecology* 10(1):106-111.
- Kammerer, J.C. 1990. Largest rivers in the United States. Water Fact Sheet. U.S. Department of the Interior, U.S. Geological Survey, open file report 87-242. Available:  
<http://pubs.usgs.gov/of/1987/ofr87-242/pdf/ofr87242.pdf> (February 2008).
- Kareiva, P., M. Marvier, and M. McClure. 2000. Recovery and management options for spring/summer Chinook Salmon in the Columbia River basin. *Science* 290:977-979.
- Karlsson, H.U. 2004. Ammonia, nitrous oxide, and hydrogen cyanide emissions from five passenger vehicles. *Science of the Total Environment* 334-35:125-132.
- Karr, J.R. and D.R. Dudley. 1985. Ecological perspectives on water quality goals. *Environmental Management* 5:55-68.
- Karr, J.R., R.R. Horner, C.R. Horner. 2003. EPA's Review of Washington's Water Quality Criteria: An Evaluation of whether Washington's criteria proposal protects stream health and designated uses. National Wildlife Federation, Seattle. 25 p
- Kavanaugh, M., R.A. Deeb, D. Markowitz, D.A. Dzombak, A. Zheng, T.L. Theis, T.C., Young, R.G. Luthy. 2003. Cyanide formation and fate in complex effluents and its relation to water quality criteria. Water Environment Research Foundation. IWA Publishing, London.
- Kemmerich, J. 1945. A review of the artificial propagation and transplantation of the sockeye salmon of the Puget Sound area in the State of Washington conducted by the federal government from 1896 to 1945. Report to the Regional Director, U.S. Fish and Wildlife Service.

- Kennish, M.J. 1992. Ecology of estuaries: Anthropogenic effects. CRC Press, Baco Raton, Florida.
- Kent, R., K. Belitz, A.J. Altmann, M.T. Wright, and G.O. Mendez. 2005. Occurrence and distribution of pesticide compounds in surface waters of the Santa Ana Basin, California, 1998-2001. U.S. Department of the Interior, U.S. Geological Survey. Scientific investigations report 2005-5203.
- Kerwin, J. 1999. Salmon habitat limiting factors report for the Puyallup River Basin (Water Resource Inventory Area 10). Washington Conservation Commission, Olympia, Washington. Available: <http://dnr.metrokc.gov/wrias/10/salmon-habitat-limiting-factors/pdf/wria-10-salmon-habitat-limiting-factors.pdf> (February 2008).
- Kieffer, M.C. and B. Kynard. 1993. Annual movements of shortnose and Atlantic sturgeons in the Merrimack River, Massachusetts. Transactions of the American Fisheries Society 122:1088-1103.
- Kimball, G.L., L.L. Smith, and S.J. Broderius. 1978. Chronic toxicity of hydrogen cyanide to the bluegill. Transactions of the American Fisheries Society 107(2):341-345.
- King County. 2001. Reconnaissance assessment of the state of the nearshore ecosystem: Eastern shore of Central Puget Sound, including Vashon and Maury Islands (WRIAs 8 and 9). King County Department of Natural Resources, Seattle, Washington. Available: <http://dnr.metrokc.gov/wlr/watersheds/puget/nearshore/sonr.htm> (February 2008)
- Kistner, D.A. and N.R. Pettigrew. 2001. A Variable Turbidity Maximum in the Kennebec Estuary, Maine. *Estuaries* 24(5):680-687. Dedicated Issue: Processes and Products of the Estuarine Turbidity Maximum: Symposium Papers from the 15th Biennial Estuarine Research Federation Conference (Oct. 2001).
- Kistner, D.A. and N.R. Pettigrew. 2001. A variable turbidity maximum in the Kennebec estuary, Maine. *Estuaries* 24(5):680-687.
- Klinkhart, E.G. 1966. The beluga whale in Alaska. Alaska Department of Fish and Game, Federal Aid in Wildlife Restoration Project Report, Vol. VII, Projects W-6-R and W-14-R, 11p.
- Koenst, W.M., L.L. Smith and S.J. Broderius. 1977. Effect of chronic exposure of brook trout to sublethal concentrations of hydrogen cyanide. *Environmental Science and Technology* 11(9):883-887.
- Kostow, K. 1995. Biennial report on the status of wild fish in Oregon. Oregon Department of Fisheries and Wildlife Report, Portland, Oregon.
- Kovacs, T.G. 1979. The effect of temperature on cyanide toxicity to rainbow trout (*Salmo gairdneri*). M.S. Thesis. Concordia U., Montreal, Quebec.
- Kovacs, T.G. and G. Leduc. 1982. Sublethal toxicity of cyanide to rainbow trout (*Salmon gairdneri*) at different temperatures. *Canadian Journal of Hisheries and Aquatic Sciences* 39:1389-1395.
- Krahn, M. M., P.R. Wade, S.T. Kalinowski, M.E. Dahlheim, B.L. Taylor, M.B. Hanson, G.M. Ylitalo, R.P. Angliss, J.E. Stein, and R.S. Waples. 2002. Status review of Southern Resident killer whales (*Orcinus orca*) under the Endangered Species Act. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-NWFSC-54, 133p.

- Krahn, M.M., M.M. Krahn, M.B. Hanson, G.S. Schorr, C.K. Emmons, D.G. Burrows, J.L. Bolton, R.W. Baird, and G.M. Ylitalo. 2009. Effects of age, sex and reproductive status on persistent organic pollutant concentrations in “Southern Resident” killer whales. *Marine Pollution Bulletin* 58(10):1522-1529.
- Kruckeberg, A.R. 1991. The natural history of Puget Sound Country. University of Washington Press, Seattle, Washington.
- Kruse, G.O. and D.L. Scarnecchia. 2001. Assessment of bioaccumulated metal and organochlorine compounds in relation to physiological biomarkers in Kootenai River white sturgeon. *Journal of Applied Ichthyology* 18:430-438.
- Krutz, H. 1979. Cyanverbindungen in Fliessgewässern – eine mathematische Beschreibung ihres raumzeitlichen Verhaltens und ihrer Wechselwirkungen zwischen Wasserkörper und Sediment – Verhöff. des. Instituts für Wasserforschung GmbH Dortmund und der Hydrol. Abt. der Dortmunder Stadtwerke AG, 28 Dortmund.
- Krutz, H. 1981. Different origins of cyanide contamination in small rivers. Pages 479-485 in: B. Vennesland, E.E. Conn, C.J. Knowles, J. Westley, and F. Wissing, editors. *Cyanide in biology*. Academic Press.
- Kynard, B. 1997. Life history, latitudinal patterns and status of shortnose sturgeon, *Acipenser brevirostrum*. *Environmental Biology of Fishes* 48(1-4):319-334.
- Kynard, B., M. Breece, M. Atcheson, M. Kieffer, and M. Mangold. 2009. Life history and status of shortnose sturgeon (*Acipenser brevirostrum*) in the Potomac River. *Journal of Applied Ichthyology* 25:34-38.
- Kynard, B., M. Horgan, and M. Kieffer. 2000. Habitats used by shortnose sturgeon in two Massachusetts rivers, with notes on estuarine Atlantic sturgeon: A hierarchical approach. *Transactions of the Am. Fish. Soc.* 129:487-503.
- Lackey, R.T. 2003. Pacific Northwest salmon: Forecasting their status in 2100. *Reviews in Fisheries Science* 11:35-88.
- Lackey, R.T. 2009. Challenges to sustaining diadromous fishes through 2100: Lessons learned from western North America. In: *Challenges for diadromous fishes in a dynamic global environment*. A. Haro. American Fisheries Society Symposium, Bethesda, Maryland.
- Laidre, K. 2000. Beluga whale tagging in Cook Inlet. Alaska Fisheries Science Center research activities quarterly report (Oct-Nov-Dec 2000).
- Lande, R., S. Engen, and B. E. Saether. 2003. *Stochastic population dynamics in ecology and conservation*. Oxford University Press, Oxford, United Kingdom.
- Lau, J., J. Ioannidis, and C.H. Schmid. 1998. Summing up evidence: One answer is not always enough. (Meta-analysis Duet). *The Lancet* 351:123.
- Laufle, J.C., G.B. Pauley, and M.F. Shepard. 1986. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific northwest): Coho salmon. National Coastal Ecosystems Team, Division of Biological Services, Research and Development, Fish and Wildlife Service. U.S. Department of Interior, Vicksburg, Mississippi.

- LCFRB. 2004. Lower Columbia Salmon Recovery and Fish and Wildlife Subbasin Plan.
- Leduc, G. 1966. Some physiological and biochemical responses of fish to chronic poisoning by cyanide. PhD. Dissertation, OSU, Corvallis OR 146 pages.
- Leduc, G. 1978. Deleterious effects of cyanide on early life stages of Atlantic salmon (*Salmo salar*). Journal of the Fisheries Research Board of Canada 35:166-174.
- Leduc, G. 1981. Ecotoxicology of cyanides in freshwater. Pages 487-494 in: B. Vennesland, E.E. Conn, C.J. Knowles, J. Westley, and F. Wissing, editors. Cyanide in biology. Academic Press.
- Leduc, G. 1984. Cyanides in water: toxicological significance. Pages 153-224 in: L.J. Weber, editor. Aquatic toxicology. Volume 2, Raven Press, New York, NY.
- Leenheer, J.A., J.A. Izbicki, C.E. Rostad, T.I. Noyes, and G. Woodside. 2008. Discovery of cyanuric acid during an assessment of natural organic matter in stormflow water of the Santa Ana River, southern California, 2003–2004. U.S. Department of the Interior. U.S. Geological Survey. Scientific investigations report 2007–5048.
- Lesniak, J.A. and S.M. Ruby. 1982. Histological and quantitative effects of sublethal cyanide exposure on oocyte development in rainbow trout. Archives of Environmental Contamination and Toxicology 11(3), 343-352.
- Li, X., Litvak, M.K. and J.E.H. Clark. 2007. Overwintering habitat use of shortnose sturgeon (*Acipenser brevirostrum*): Defining critical habitat using a novel underwater video survey and modeling approach. Canadian Journal of Fisheries and Aquatic Sciences 64:1248-1257.
- Lichtowich, J.A. 1999. Salmon without rivers. A history of the Pacific salmon crisis. Island Press, Washington, D.C.
- Light, J.T. C.K. Harris, and R.L. Burgner. 1989. Ocean distribution and migration of steelhead (*Oncorhynchus mykiss*). Document submitted to the International North Pacific Fisheries Commission. 50 pp. FRI-UW-89012. Fisheries Research Institute, University of Washington, Seattle.
- Lind, D.T., L.L. Smith, Jr., and S.J. Broderius. 1977. Chronic effects of hydrogen cyanide on the fathead minnow. Journal of Water Pollution Control Federation 49:262-268.
- Little, E.E. and R.D. Caffee. 2002. Environmental implications of fire-retardant chemicals. U.S. Geological Survey, Columbia Environmental Research Center, Columbia MO. June 2002.
- Lusseau, D. 2006. The short-term behavioral reactions of bottlenose dolphins to interactions with boats in Doubtful Sound, New Zealand. Marine Mammal Science 22:802-818.
- Magalhaes, S., R. Prieto, M. A. Silva, J. Goncalves, M. Afonso-Dias, and R. S. Santos. 2002. Short-term reactions of sperm whales (*Physeter macrocephalus*) to whale-watching vessels in the Azores. Aquatic Mammals 28:267-274.
- Mahoney, B.A., and K.E.W. Shelden. 2000. Harvest history of beluga whale, *Delphinapterus leucas*, in Cook Inlet, Alaska. Mar. Fish. Rev. 62(3): 124-133.

- Maine Rivers. 2007a. Penobscot watershed. Available: <http://www.mainerivers.org/penobscot.htm> (February 2008).
- Maine Rivers. 2007b. Kennebec watershed. Available: <http://www.mainerivers.org/kennebec.htm> (February 2008).
- Mann, R. 2004. The Yakima basin regional economy and the contribution of fish and wildlife. Yakima County Public Services.
- Mann, R., N.R. Netusil, K.L. Casavant, D.D. Huppert, J.R. Hamilton, L.L. Peters, S.S. Hanna, and H. Radtke. 2005. Economic effects from Columbia River basin anadromous salmonid production. Northwest Power and Conservation Council, Independent Economic Analysis Board, document IEAB 2005-1. Available: <http://www.nwcouncil.org/library/ieab/ieab2005-1.pdf> (February 2008).
- Manzer, J.I. 1964. Preliminary observations on the vertical distribution of Pacific salmon (Genus *Oncorhynchus*) in the Gulf of Alaska. J. Fish. Res. Bd. Canada 21: 891-903.
- Marking, L.L. T. D. Bills, and J.R. Crowther. 1984. Effects of five diets on sensitivity of rainbow trout to eleven chemicals. Progressive Fish-Culture 46(1):1-5.
- Marr, J.C. 1943. Age, length, and weight studies of three species of Columbia River salmon (*Oncorhynchus keta*, *O. gorbuscha*, and *O. kisutch*). Stanford Ichthyology Bulletin 2:157-197.
- Martineau, D. 2007. Potential synergism between stress and contaminants in free-ranging cetaceans. International Journal of Comparative Psychology 20:194-216.
- Matkin, C.O., D.R. Matkin, G.M. Ellis, E. Saulitis, and D. McSweeney. 1997. Movements of resident killer whales in southeastern Alaska and Prince William Sound, Alaska. Marine Mammal Science 13(3):469-475.
- Matkin, C.O., G. Ellis, L.G. Barrett-Lennard, H. Yurk, E.L. Saulitis, D. Scheel, P. Olesiuk, and G. Ylitalo. 2003. Photographic and acoustic monitoring of killer whales in Prince William Sound and Kenai Fjords. North Gulf Oceanic Society, Homer, Alaska.
- Matthews, G.M. and R.S. Waples. 1991. Status review for Snake River spring and summer Chinook salmon. U.S. Department of Commerce, NOAA Technical Memorandum NMFS F/NWC-200.
- McCarthy, S.G., J.J. Duda, J.M. Emlen, G.R. Hodgson, and D.A. Beauchamp. 2009. Linking habitat quality with trophic performance of steelhead along forest gradients in the South Fork Trinity River Watershed, California. Transactions of the American Fisheries Society 138(3):506-521.
- McCracken, I.R. and G. Leduc. 1980. The allometric growth response of exercised rainbow trout (*Salmo gairdneri*) to cyanide poisoning. Aquatic toxicology, ASTM, STP 107, Philadelphia, pp. 303-330.
- McCullough, D. 1999. A review and synthesis of effects of alterations to the water temperature regime on freshwater life stages of salmonids, with special reference to Chinook salmon. Columbia Intertribal Fisheries Commission, Portland, OR. Prepared for the U.S. Environmental Protection Agency Region 10. Published as EPA 910-R-99-010.

- McElhany, P., M. Chilcote, J. Myers, and R. Beamesderfer. 2007. Viability status of Oregon salmon and steelhead populations in the Willamette and lower Columbia basins. Prepared for NOAA Fisheries and Oregon Department of Fish and Wildlife. Available on the internet at: [http://www.nwfsc.noaa.gov/trt/wlc/trt\\_wlc\\_psr2007.cfm](http://www.nwfsc.noaa.gov/trt/wlc/trt_wlc_psr2007.cfm)
- McElhany, P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, and E.P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. U.S. Department of Commerce. NOAA Technical Memorandum NMFS-NWFSC-42, 156 p.
- McEwan, D. and T.A. Jackson. 1996. Steelhead restoration and management plan for California. California Department of Fish and Game, Sacramento California.
- McEwan, D.R. 2001. Central valley steelhead. Pages 1-43 *in*: Brown, R.L., editor. Contributions to the biology of the central valley salmonids. California Department of Fish and Game, Sacramento California.
- McGeachy, S.M. and G. Leduc. 1988. The influence of season and exercise on the lethal toxicity of cyanide to rainbow trout (*Salmo gairdneri*) Archives of Environmental Contamination and Toxicology 17(3):313-318.
- McMahon, G. and M.D. Woodside. 1997. Mass balance of nutrients for the Albermarle-Pamlico basin. Department of the Interior, U.S. Geological Society.
- MDEP (Maine Department of Environmental Protection). 1999. Hazard ranking system package, Eastland Woolen Mill (a.k.a. Corinna Main Street), Corinna, Maine. Maine Department of Environmental Protection. Boston, Massachusetts.
- Meehan, W.R. and T.R. Bjornn. 1991. Salmonid distributions and life histories: Cutthroat trout. Influence of forest and rangeland management on salmonid fishes and their habitats. Bethesda, American Fisheries Society Special Publication 19:66-67.
- Mehta, P.E. 2008. Status of the Savanna River Basin in South Carolina. SCDHEC
- Melbourne, B. A., and A. Hastings. 2008. Extinction risk depends strongly on factors contributing to stochasticity. Nature 454:100-103.
- Merz, J.E. 1994. A dietary analysis of juvenile Sacramento squawfish (*Ptychocheilus grandis*), Chinook salmon (*Oncorhynchus tshawytscha*), and steelhead trout (*O. mykiss*) in the Lower American River, Sacramento County, California. California State University, Sacramento.
- Meyers, J.M., R.G. Kope, G.J. Bryant, D.J. Teel, L.J. Lierheimer, T.C. Wainwright, W.S. Grand, F.W. Waknitz, K. Neely, S.T. Lindley, and R.S. Waples. 1998. Status review of Chinook salmon from Washington, Idaho, Oregon, and California. U.S. Department of Commerce, NOAA Technical Memorandum. NMFS-NWFSC-35.
- MFM (Makah Fisheries Management). 2000. Lake Ozette sockeye – hatchery and genetic management plan – Biological assessment, Section 7 consultation. October 23, 2000. Prepared by Makah Fisheries Management for Bureau of Indian Affairs. Makah Indian Tribe. Neah Bay, Washington.
- Miller, J., R.P. Scroggins, and G.F. Atkinson. 1993. Toxicity endpoint determination statistics and computer programs. Minutes of meeting of Statistical Advisory Group, Quebec City, October 20, 1993. Environment Canada, Technology Development Branch, Ottawa, Ont.

12 pp. + attachments.

- Miller, M.J. 2004. The ecology and functional morphology of feeding of North America sturgeon and paddlefish. Pages 87-102 in G.T.O. LeBreton, F.W.H. Beamish, R.S. McKinley, eds., *Sturgeons and Paddlefish of North America*. Kluwer Academic Publ., Boston MA.
- Miller, R.J. and E.L. Brannon. 1982. The origin and development of life history patterns in Pacific salmonids. Pages 296-309 in: Brannon, E.L. and E.O. Salo, editors. Proceedings of the Salmon and Trout Migratory Behavior Symposium. School of Fisheries, University of Washington, Seattle, Washington.
- Mills, S.K. and J.H. Beatty. 1979. The propensity interpretation of fitness. *Philosophy of Science* 46:263-286.
- Miyazaki, N. 1989. Notes on the school composition of killer whales in the Southern Hemisphere. *Bulletin of the National Museum of Tokyo, Series A* 15:53-59.
- Moffett, J.W. 1949. The first four years of king salmon maintenance below Shasta Dam, Sacramento River, California. *California Department of Fish and Game* 35:77-102.
- Moore, B. and D.D. Platt. 1996. The river and its watershed. Pages 22-31 in: D.D. Platt, editor. *Penobscot: The forest, river and bay*. Island Institute, Rockland, Maine.
- Moore, D.R.J. and P.-Y. Caux. 1997. Estimating low toxic effects. *Environmental Toxicology and Chemistry* 16:794-801.
- Moser, M.L. and S.T. Lindley. 2007. Use of Washington estuaries by subadult and adult green sturgeon. *Environmental Biology of Fishes* 79:243-253.
- Moser, M.L. and S.W. Ross. 1993. Distribution and movements of shortnose sturgeon (*Acipenser brevirostrum*) and other anadromous fishes of the lower Cape Fear River, North Carolina. Final Report to the U.S. Army Corps of Engineers, Wilmington, North Carolina.
- Moser, M.L., M. Bain, M.R. Collins, N. Haley, B. Kynard, J.C. O'Herron II, G. Rogers, and T.S. Squiers. 2000. A Protocol for Use of Shortnose and Atlantic Sturgeons. U.S. Department of Commerce, NOAA Technical Memorandum-NMFS-OPR-18. 18pp.
- Mount, J.F. 1995. California rivers: The conflict between fluvial process and land use. University of California Press, Berkeley and Los Angeles, California.
- Mouriño-Pérez, R.R., A.Z. Worden, and F. Azam. 2003. Growth of *Vibrio cholerae* O1 in red tide waters off California. *Applied and Environmental Microbiology* 69(11):6923-6931.
- Moyle, P.B. 1976. The decline of anadromous fishes in California. *Conservation Biology* 8(3):869-870.
- Moyle, P.B. 2002. Inland fishes of California. University of California Press, Berkeley, CA. 502 p.
- Moyle, P.B., P.J. Foley, and R.M. Yoshiyama. 1992. Status of green sturgeon, *Acipenser medirostris*, in California. Final Report submitted to National Marine Fisheries Service. University of California, Davis, California.

- Moyle, P.B., R.M. Yoshiyama, J.E. Williams, and E.D. Wikramanayake. 1995. Fish species of special concern in California. Second edition. Final report to California Department of Fish and Game, contract 2128IF.
- Mundy, Phillip R. 1997. The role of harvest management in the future of Pacific salmon populations: shaping human behavior to enable the persistence of salmon. Pages 315-329 in Stouder, D.J., P.A. Bisson, and R.J. Naiman, eds. *Pacific Salmon and Their Ecosystems: Status and Future Options*. Chapman and Hall, Inc., New York, NY
- Myers, J.M., R.G. Kope, G.J. Bryant, D. Teel, L.J. Lierheimer, T.C. Wainwright, W.S. Grand, F.W. Waknitz, K. Neely, S.T. Lindley, and R.S. Waples. 1998. Status review of Chinook salmon from Washington, Idaho, Oregon, and California. U.S. Department of Commerce, NOAA Technical Memorandum – NMFS-NWFSC-35.
- Nakamoto, R. J., T.T. Kisanuki, and G.H. Goldsmith. 1995. Age and growth of Klamath River green sturgeon (*Acipenser medirostris*). U.S. Fish and Wildlife Service. Project #93-FP-13.
- NCDENR (North Carolina Department of Environment and Natural Resources). 1998. Yadkin-Pee Dee basinwide water quality management plan. North Carolina Department of Environment and Natural Resources. Division of Water Quality, Water Quality Section Planning Branch. Available: [http://h2o.enr.state.nc.us/basinwide/yadkin\\_basinwide\\_water\\_quality\\_.htm](http://h2o.enr.state.nc.us/basinwide/yadkin_basinwide_water_quality_.htm) (February 2008).
- NCDENR (North Carolina Department of Environment and Natural Resources). 1999. Basinwide assessment report: Cape Fear River basin. North Carolina Department of Environment and Natural Resources, Division of Water Quality. Available: <http://www.townofchapelhill.org/DocumentView.asp?DID=433> (February 2008).
- NCDWQ (North Carolina Department of Water Quality). 2004. Annual Report of Fish Kill Events 2004. Division of Water Quality, Environmental Sciences Section, Raleigh, NC, December 2004. Available on the internet at: <http://www.esb.enr.state.nc.us/Fishkill/2004KillReport.pdf>
- Negliski, D.S. 1973. Individual and combined effects of cyanide, pentachlorophenol and zinc on juvenile Chinook salmon and invertebrates in model stream communities. M.S. Thesis, Oregon State University, Corvallis, OR.
- Nichol, L.M. and D.M. Shackleton. 1996. Seasonal movements and foraging behaviour of northern resident killer whales (*Orcinus orca*) in relation to the inshore distribution of salmon (*Oncorhynchus spp.*) in British Columbia. Canadian Journal of Zoology 74:983-991.
- Nichols, F. H., Thompson, J. K., and Schemel, L. E. 1990. Remarkable invasion of San Francisco Bay (California, USA) by the Asian clam *Potamocorbula amurensis*. II. Displacement of a former community. Marine Ecology Progress Series 66, 81-94.
- Nickelson, T.E., J.W. Nicholas, A.M. McGie, R.B. Lindsay, D.L. Bottom, R.J. Kaiser, and S.E. Jacobs. 1992. Status of anadromous salmonids in Oregon coastal basins. Oregon Department of Fish and Wildlife, Resource Development Section and Ocean Salmon Management, Oregon Department of Fish and Wildlife, Portland, Oregon.

- Nishiwaki, M. 1972. General biology. Pages 3-204 in S.H. Ridgway, editor. Mammals of the sea: Biology and medicine. Thomas, Springfield, Illinois.
- Nishiwaki, M. and C. Handa. 1958. Killer whales caught in the coastal waters off Japan for recent 10 years. Scientific Reports of the Whales Research Institute 13:85-96.
- Nishiymama, T. 1984. Two important factors in oceanic stages of salmon: Food and temperature. Pages 227-258 in: Proceedings of the Pacific Salmon Biology Conference.
- NMA (National Mining Association). 2007. 2004 State Mining Statistics. Available on the internet at: [http://www.nma.org/statistics/state\\_statistics\\_2004.asp#](http://www.nma.org/statistics/state_statistics_2004.asp#). Accessed in September 2007.
- NMFS (National Marine Fisheries Service). 1996. Status review update for coho salmon from Washington, Oregon, and California. West coast coho salmon biological review team.
- NMFS (National Marine Fisheries Service). 1997a. Status review update for coho salmon from the Oregon and Northern California coasts. West coast coho salmon biological review team.
- NMFS (National Marine Fisheries Service). 1997b. Status review update for West Coast steelhead from Washington, Idaho, Oregon, and California. Memorandum date 7 July 1997 from the biological review team to the National Marine Fisheries Service Northwest Regional Office.
- NMFS (National Marine Fisheries Service). 1998a. Final recovery plan for the shortnose sturgeon (*Acipenser brevirostrus*). Prepared by the Shortnose sturgeon recovery team for the National Marine Fisheries Service, Silver Spring, Maryland.
- NMFS (National Marine Fisheries Service). 1998b. Status review update for sockeye salmon from Ozette Lake and Baker River, Washington. West coast sockeye biological review team. Northwest Fisheries Science Center, Seattle, Washington.
- NMFS (National Marine Fisheries Service). 2005a. Final assessment of NOAA Fisheries' critical habitat analytical review teams for 12 evolutionarily significant units of West Coast salmon and steelhead.
- NMFS (National Marine Fisheries Service). 2005b. Green sturgeon (*Acipenser medirostris*) status review update. Biological review team, Southwest Fisheries Science Center. February 2005.
- NMFS (National Marine Fisheries Service). 2005c. Status review update for Puget Sound steelhead. 2005 Puget Sound steelhead biological review team, Northwest Fisheries Science Center.
- NMFS (National Marine Fisheries Service). 2005e. Proposed conservation plan for southern resident killer whales (*Orcinus orca*). National Marine Fisheries Service, Northwest Region, Seattle, Washington.
- NMFS (National Marine Fisheries Service). 2006. Supplement to the draft Snake River salmon recovery plan for Southeast Washington. National Marine Fisheries Service, Northwest Region, Seattle, Washington.

- NMFS (National Marine Fisheries Service). 2008. Recovery plan for southern resident killer whales (*Orcinus orca*). National Marine Fisheries Service, Northwest Region, Seattle, Washington.
- NMFS (National Marine Fisheries Service). 2009. Final recovery plan for Lake Ozette sockeye salmon (*Oncorhynchus nerka*). National Marine Fisheries Service, Northwest Regional Office, Salmon Recovery Division.
- NMFS 2008. Conservation Plan for the Cook Inlet beluga whale (*Delphinapterus leucas*). NMFS, Alaska Region, Juneau, AK. 122 pages. Available online at: <http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/belugawhale.htm>
- NMFS and USFWS (National Marine Fisheries Service and United States Fish and Wildlife Service). 2005. Recovery plan for the Gulf of Maine distinct population segment of Atlantic salmon (*Salmo salar*). National Marine Fisheries Service, Silver Spring, Maryland.
- Noppert, F., N. vander Hoeven, and A. Leopold (Eds.). 1994. How to measure no effect. Towards a new measure of chronic toxicity in ecotoxicology. Workshop report, The Hague, The Netherlands, Sept. 9, 1994. The Netherlands Working Group on Statistics and Ecotoxicology.
- Nordhaus, W. 2007. The challenge of global warming: Economic models and environmental policy. Yale University.
- Northcote, T.G. 1978. Migratory strategies and production in freshwater fishes. Pages 326-359 in S.D. Gerking (ed). Ecology of freshwater fish production. Blackwell Scientific Publications, Oxford. 520 pages.
- NRC (National Research Council). 1996. Upstream: Salmon and society in the Pacific northwest. (National Research Council). National Academy Press, Washington, D.C. .
- NRC (National Research Council). 2001. Assessing the TMDL approach to water quality management. National Academy Press, Washington D.C. 122 pages.
- NRC (National Research Council). 2004. Managing the Columbia River. Instream flows, water withdrawals, and salmon survival. National Academy Press, Washington D.C. Available: [http://www.nap.edu/catalog.php?record\\_id=10962#toc](http://www.nap.edu/catalog.php?record_id=10962#toc) (February 2008).
- NRC (National Research Council). 2008. Urban stormwater management in the United States. National Academy Press, Washington D.C. Prepublication. Available: <http://www.nap.edu/catalog/12465.html>.
- NWPPC (Northwest Power Planning Council).1986. Compilation of information on salmon and steelhead losses in the Columbia River basin. Report to the Northwest Power Planning Council, Portland, Oregon. Available: <http://www.nwcouncil.org/library/1986/Compilation.htm> (February 2008)
- O’Corry-Crowe, G. 2002. Beluga Whale (*Delphinapterus leucas*), pages 94-99 in Encyclopedia of Marine Mammals, W. Perrin, B. Würsig, J.G.M. Thewissen, eds. Academic Press, San Diego, CA.
- O’Corry-Crowe, G. 2008. Climate change and the molecular ecology of arctic marine mammals. Ecological Applications 18(2), Supplement: 56-76.

- O’Corry-Crowe, G., R.S. Suydam, R. Hobbs, L. Quakenbus, and B. Mahoney. 2008. Molecular genetic analysis of population structure, dispersal and gene flow of beluga whales, *Delphinapterus leucas*, in the western nearctic: New findings on the Cook Inlet population. Page 136 in Alaska Marine Science Symposium 2008, book of abstracts for oral presentations and posters. Jan. 2008, Anchorage. Available at: <http://www.alaskamarinescience.org/past/2008.html>
- O’Herron, J.C., II, K.W. Able, R.W. Hastings. 1993. Movements of shortnose sturgeon (*Acipenser brevirostrum*) in the Delaware River. *Estuaries* 16(2): 235-240.
- ODFW (Oregon Department of Fish and Wildlife). 2002. Fire retardant spill results in fish kill on Fall River. August 16, 2002. Available on the internet at: <http://www.dfw.state.or.us/news/2002/releases/168.asp>. September 2007.
- OECD. 1998. Report on the OECD workshop on statistical analysis of aquatic toxicity data. Series on Testing and Assessment, No. 10. Environmental Health and Safety Publications. ENV/MC/CHEM(98)18. Organisation for Economic Co-operation and Development (OECD), Paris, France.
- OECD. 2006. Current approaches in the statistical analysis of ecotoxicity data: A guidance to application. Series on Testing and Assessment, No. 54. Environmental Health and Safety Publications. ENV/JM/MONO(2006)18. Organisation for Economic Co-operation and Development (OECD), Paris, France.
- Olesiuk, P.F., M.A. Bigg, and G.M. Ellis. 1990. Life history and population dynamics of resident killer whales (*Orcinus orca*) in the coastal waters of British Columbia and Washington stat. International Whaling Commission, Cambridge.
- Olson, J.M. 1998. Temporal and spatial distribution patterns of sightings of southern community and transient orcas in the inland waters of Washington and British Columbia. Master’s thesis. Western Washington University, Bellingham, Washington.
- O’Neal, K. 2002. Effects of global warming on trout and salmon in U.S. streams. National Resources Defense Council and Defenders of Wildlife.
- Osborne, R.W. 1999. A historical ecology of Salish Sea “resident” killer whales (*Orcinus orca*): with implications for management. Doctoral dissertation. University of Victoria, Victoria, British Columbia.
- Oseid, D.M. and L.L. Smith, Jr. 1979. The effects of hydrogen cyanide on *Asellus communis* and *Gammarus pseudolimnaeus* and changes in their competitive response when exposed simultaneously. *Bulletin of Environmental Contamination and Toxicology* 21:439-447.
- Pack, S. 1993. A review of statistical data analysis and experimental design in OECD aquatic toxicology test guidelines. Shell Research Ltd., Sittingbourne Research Centre, Sittingbourne, Kent, U.K. 42 pp.
- Pack, S. 1998. A discussion of the NOEC/ANOVA approach to data analysis. Discussion paper, 9 pp. in: OECD, 1998. Report of the OECD workshop on statistical analysis of aquatic toxicity data. OECD, Paris. OECD Environmental Health and Safety Publications, Series on Testing and Assessment No. 10. 133 pp.

- Palmisano, J.F., R.H. Ellis, and V.W. Kaczynski. 1993. The impact of environmental and management factors on Washington's wild anadromous salmon and trout. Washington Forest Protection Association and Washington Department of Natural Resources, Olympia, Washington.
- Paragamian, V.L. and M.J. Hansen. 2008. Evaluation of recovery goals for endangered white sturgeon in the Kootenai River, Idaho. *North American Journal of Fisheries Management* 28:463-470
- Paragamian, V.L., R.C.P. Beamesderfer, and S.C. Ireland. 2005. Status, population dynamics, and future prospects of the endangered Kootenai River white sturgeon population with and without hatchery intervention. *Transactions of the American Fisheries Society* 134:518-532.
- Park, W., C.H. Lee, C.S. Lee, D. Kim, J. Kim, C. S. Tamaru, and Y.C. Sohn. 2007. Effects of gonadotropin-releasing hormone analog combined with pimozone on plasma sex steroid hormones, ovulation and egg quality in freshwater-exposed female chum salmon (*Oncorhynchus keta*). *Aquaculture* 271:488-497
- Parker C.A. and J.E. O'Reilly. 1991. Oxygen depletion in Long Island Sound: A historic perspective. *Estuaries* 14(3):248-264.
- Parsons, K.M., K.C Balcomb III, J.K.B. Ford, and J.W. Durban. 2009. The social dynamics of southern resident killer whales and conservation implications for this endangered population. (*Orcinus orca*). *Animal Behaviour* 77(4):963-971.
- Patino, R. 1997. Manipulations of the reproductive system of fishes by means of exogenous chemicals. *Progressive Fish Culturist* 59:118-128.
- Perrin, W.F. and S.B. Reilly. 1984. Reproductive parameters of dolphins and small whales of the family Delphinidae. Pages 97-134 *in*: Perrin, W.G., R.L. Brownell, Jr., and D.P. DeMaster, editors. *Reproduction in whales, dolphins, and porpoises*. International Whaling Commission (Special Issue 6), Cambridge, U.K.
- Pess, G.R., D.R. Montgomery, T.J. Beechie, and L. Holsinger. 2003. Anthropogenic alterations to the biogeography of Puget Sound salmon. Pages 129-154 *in*: Montgomery, D.R., S. Bolton, D.B. Booth, and L. Wall, editors. *Restoration of Puget Sound rivers*. University of Washington Press, Seattle, Washington.
- Piatak, N.M., R.R. Seal II, R.F. Sanzolone, P.J. Lamothe, and Z.A. Brown. 2006. Preliminary results of sequential extraction experiments for selenium on mine waste and stream sediments from Vermont, Maine, and New Zealand. U.S. Department of the Interior, U.S. Geological Survey Open-File Report 2006-1184, Reston, Virginia. Available: <http://pubs.usgs.gov/of/2006/1184/of2006-1184.pdf> (February 2008)
- Pike, G. C., and I. B. MacAskie. 1969. Marine mammals of British Columbia. *Bulletin of the Fisheries Research Board of Canada* 171:1-54.
- Pitcher, T.J. 1986. Functions of shoaling in teleosts. Pages 294-337 *in*: Fisher, T.J., editor. *The behavior of teleost fishes*. Johns Hopkins University Press, Baltimore, Maryland.
- PPWB (Prairie Provinces Water Board). 1978. Interprovincial river water quality data at PPWB monitoring stations. April 1974 to December 31, 1977, Regina, Saskatchewan.

- PSAT (Puget Sound Action Team). 2004. State of the sound 2004. State of Washington, Office of the Governor, Olympia, Washington. Available: [http://www.psat.wa.gov/Publications/StateSound2004/141963\\_811.pdf](http://www.psat.wa.gov/Publications/StateSound2004/141963_811.pdf) (February 2008).
- PSAT (Puget Sound Action Team). 2007. State of the sound 2007. State of Washington, Office of the Governor, Publication Number PSAT 07-01, Olympia, Washington. Available: [http://www.psat.wa.gov/Publications/state\\_sound07/2007\\_stateofthesound.pdf](http://www.psat.wa.gov/Publications/state_sound07/2007_stateofthesound.pdf) (February 2008).
- Quigley, T.M., S.J. Arbelbide, and R.T. Graham. 1997. Assessment of ecosystem components in the interior Columbia River Basin and portions of the Klamath and Great Basins: An introduction. Pages 1-32 *in*: T.M. Quigley and S.J. Arbelbide, editors. An assessment of ecosystem components in the interior Columbia River Basin and portions of the Klamath and Great Basins: An introduction. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. General Technical Report PNW-GTR 405.
- Radtke, L.D. 1966. Distribution of smelt, juvenile sturgeon, and starry flounder in the Sacramento-San Joaquin Delta with observations on food of sturgeon. Pages 115-119 *in*: J.L. Turner and D.W. Kelly, editors. Ecological studies of the Sacramento-San Joaquin Estuary. Part II; California Department of Fish and Game, Fish Bulletin 136.
- Rand, G.M. and S.R. Petrocelli. 1985. Fundamentals of aquatic toxicology: Effects, environmental fate, and risk assessment. Hemisphere, Washington, D.C.
- Ray, G.L. 2005. Invasive animal species in marine and estuarine environments Biology and ecology. U.S. Army Corps of Engineers. Engineer Research and Development Center. Aquatic Nuisance Species Research Program.
- Reisenbichler, R.R. 1997. Genetic factors contributing to declines of anadromous salmonids in the Pacific Northwest. Pages 223-244 *in* D.J. Stouder, P.A. Bisson, R.J. Naiman, editors. Pacific salmon and their ecosystems: status and future options. Chapman and Hall, New York.
- Reisenbichler, R.R. 1997. Genetic factors contributing to declines of anadromous salmonids in the Pacific Northwest. Pages 223-244 *in* D.J. Stouder, P.A. Bisson, and R. J. Naiman [eds.] Pacific Salmon and Their Ecosystems: Status and Future Options. Chapman & Hall, Inc., N.Y. Reynolds et al. 1993
- Rich, W.H. 1942. The salmon runs of the Columbia River in 1938. Fishery Bulletin 50(37):103-147.
- Richter, C., S. M. Dawson, and E. Slooten. 2003. Sperm whale watching off Kaikoura, New Zealand: effects of current activities on surfacing and vocalization patterns. New Zealand Department of Conservation, Wellington, New Zealand.
- Rien, T. A., L.C. Burner, R.A. Farr, M.D. Howell, and J.A. North. 2001. Green sturgeon population characteristics in Oregon. Annual Progress Report. Sportfish Restoration Project F-178-R.
- Riggs, L.A. 1990. Principles for genetic conservation and production quality: results of a scientific and technical clarification and revision. Unpublished report prepared for the Northwest Power Planning Council.

- Rogers, S.G. and W. Weber. 1994. Occurrence of shortnose sturgeon (*Acipenser brevirostrum*) in the Ogeechee-Canoochee river system, Georgia, during the summer of 1993. Final Report of the United States Army to the Nature Conservancy of Georgia.
- Rogers, S.G. and W. Weber. 1995. Status and restoration of Atlantic and shortnose sturgeons in Georgia. Final Report to the National Marine Fisheries Service, Southeast Regional Office, St. Petersburg, Florida.
- Roni, P. and T.P. Quinn. 1995. Geographic variation in size and age of North American Chinook salmon. *North American Journal of Fisheries Management* 15:325–345.
- Rosetta, T. and D. Borys. 1996. Identification of sources of pollutants to the lower Columbia River basin. Draft Report. Prepared for the Lower Columbia River Bi-State Program. Oregon Department of Environmental Quality, 158 pages. Available on the internet at: [http://www.lcrep.org/lib\\_bistate.htm](http://www.lcrep.org/lib_bistate.htm)
- Ross, P. 2006. Fireproof killer whales (*Orcinus orca*): flame-retardant chemicals and the conservation imperative in the charismatic icon of British Columbia, Canada. *Canadian Journal of Fisheries and Aquatic Sciences* 63:224-234.
- Ross, P.S., G.M. Ellis, M.G. Ikonou, L.G. Barrett-Lennard, and R.F. Addison. 2000. High PCB concentrations in free-ranging Pacific killer whales, *Orcinus orca*: Effects of age, sex, and dietary preference. *Marine Pollution Bulletin* 40:504-515.
- Rothman, K.J., S. Greenland, and T.L. Lash. 2008. *Modern Epidemiology*. Lippincott, Williams, & Wilkins, Philadelphia, PA.
- Royce, W.F., L.S. Smith, and A.C. Hartt. 1968. Models of oceanic migrations of Pacific salmon and comments on guidance mechanisms. *Fisheries Bulletin* 66:441-462.
- Ruby, S.M. D.R. Idler, Y.P. So. 1993. Plasma vitellogenin, 17 $\beta$ -estradiol, T3 and T4 levels in sexually maturing rainbow trout *Oncorhynchus mykiss* following sublethal HCN exposure. *Aquatic Toxicology* 26:91-102.
- Ruby, S.M., D.G. Dixon, and G. Leduc. 1979. Inhibition of spermatogenesis in rainbow trout during chronic cyanide poisoning. *Archives of Environmental Contamination and Toxicology* 8(5), 533-544
- Ruby, S.M., D.R. Idler, and Y.P. So. 1986. The effect of sublethal cyanide exposure on plasma vitellogenin levels in rainbow trout (*Salmo gairdneri*) during early vitellogenesis. *Archives of Environmental Contamination and Toxicology* 15:603-607.
- Ruckelshaus, M.H. and M.M. McClure. 2007. Sound science: Synthesizing ecological and socioeconomic information about the Puget Sound ecosystem. Prepared in cooperation with the Sound Science collaborative team. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington. Available: [http://www.nwfsc.noaa.gov/research/shared/sound\\_science/index.cfm](http://www.nwfsc.noaa.gov/research/shared/sound_science/index.cfm) (February 2008).
- Rutter, C. 1904. Natural history of the quinnat salmon. Investigation on Sacramento River, 1896-1901. *Bulletin, U.S. Department of Commerce, Bureau of Fisheries* 22:65-141.
- Saligaut, C., B. Linard, B. Breton, I. Anglade, T. Bailhache, O. Kah, and P. Jégo. 1999. Brain aminergic systems in salmonids and other teleosts in relation to steroid feedback and

- gonadotropin release. *Aquaculture* 177:13-20.
- Salo, E.O. 1991. Life history of chum salmon (*Oncorhynchus keta*). Pages, editor Pacific salmon life histories. University of British Columbia Press, Edmonton, Alberta.
- Sandercock, F.K. 1991. The history of coho salmon (*Oncorhynchus kisutch*). Pages 397-445 in: C. Groot and L. Margolis, editors. Pacific salmon life history. University of British Columbia Press. Vancouver, Canada
- Saulitis, E., C. Matkin, L. Barrett-Lennard, K. Heise, and G. Ellis. 2000. Foraging strategies of sympatric killer whale (*Orcinus orca*) populations in Prince William Sound, Alaska. *Marine Mammal Science* 16(1):94-109.
- Savoy, T. 2004. Population estimate and utilization of the lower Connecticut River by shortnose sturgeon. Pages 345-352 in: Jacobson, P.M., editor. The Connecticut River ecological study (1965-1973) revisited: Ecology of the lower Connecticut River 1973-2003. American Fisheries Society Monograph.
- Savoy, T. and D. Shake. 1992. Sturgeon status in Connecticut waters. Final Report to the National Marine Fisheries Service, Gloucester, Massachusetts.
- Scheffer, V.B. and J.W. Slipp. 1948. The whales and dolphins of Washington State with a key to the cetaceans of the west coast of North America. *American Midland Naturalist* 39:257-337.
- Scheidat, M., C. Castro, J. Gonzalez, and R. Williams. 2004. Behavioral responses of humpback whales (*Megaptera novaeangliae*) to whalewatching boats near Isla de la Plata, Machalilla National Park, Ecuador. *Journal of Cetacean Research and Management* 61:63 - 68.
- Schimmel, S.C. 1981. Final report on toxicity of cyanide to sheepshead minnow early life stages. U.S. EPA, Narragansett, Rhode Island, Memorandum to J. Gentile, U.S. EPA.
- Schoonmaker, P.K., T. Gresh, J. Lichatowich, and H.D. Radtke. 2003. Past and present salmon abundance: Bioregional estimates for key life history stages. Pages 33-40 in: J.G. Stockner, editor. Nutrients in salmonid ecosystems: Sustaining production and biodiversity. American Fisheries Society, Symposium 34, Bethesda, Maryland.
- Scott, W.B. and E.J. Crossman. 1973. Atlantic salmon. Pages 192-197 in: Freshwater fishes of Canada. Department of Fisheries and Oceans, Scientific Information and Publications Branch, Ottawa. Bulletin 184.
- Secor, D., P. Anders, V.W. Webster, and D. Dixon. 2002. Can we study sturgeon to extinction? What we do and don't know about the conservation of North American sturgeon. Pages 3-9 in: Webster, V.W., editor. Biology, management, and protection of North American sturgeon, Symposium 28. American Fisheries Society, Bethesda, Maryland.
- Shapovalov, L. and A.C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri gairdneri*) and silver salmon (*Oncorhynchus kisutch*) with special reference to Waddell Creek, California, and recommendations regarding their management. California Department of Fish Game Bulletin 98. Available: [http://content.cdlib.org/xtf/view?docId=kt9x0nb3v6&brand=calisphere&doc.view=entire\\_text](http://content.cdlib.org/xtf/view?docId=kt9x0nb3v6&brand=calisphere&doc.view=entire_text) (May 2008)

- Shea, K. and M. Mangel. 2001. Detection of population trends in threatened coho salmon. *Canadian Journal of Fisheries and Aquatic Sciences* 58:375-385.
- Shelden, K.E.W., Rugh, D.J., Mahoney, B.A., and Dahlheim, M.E. 2003. Killer whale predation on belugas in Cook Inlet, Alaska: implications for a depleted population. *Marine Mammal Science* 19:529-544. Burns and Seaman 1986a
- Simenstad, C.A. and E.O. Salo. 1982. Foraging success as a determinant of estuarine and nearshore carrying capacity of juvenile chum salmon (*Oncorhynchus keta*) in Hood Canal, Washington. Pages 21-37 in B.R. Melteff and R.A. Nevé, editors. *Proceedings of the North Pacific Aquaculture Symposium*, Alaska Sea Grant Report 82-2.
- Simmonds, M. P. 2005. Whale watching and monitoring: some considerations. Unpublished paper submitted to the Scientific Committee of the International Whaling Commission, Cambridge, United Kingdom.
- Skibba, W.D. 1981. The trout test with *Salmo gairdneri* Richardson for determining the acute toxicity of aggressive substances as well as measurement results for sodium cyanide. *Acta Hydrochim. Hydrobiol.* 9(1):3-15.
- Slaney, T.L., K.D. Hyatt, T.G. Northcote, and R.J. Fielden. 1996. Status of anadromous salmon and trout in British Columbia and Yukon. *Fisheries* 21(10):20-35.
- Smith, L.L.J., S.J. Broderius, D.M. Oseid, G.L. Kimball, and W.M. Koenst. 1978. Acute toxicity of hydrogen cyanide to freshwater fishes. *Archives of Environmental Contamination and Toxicology* 7(3):325-337.
- Smith, L.L.J., S.J. Broderius, D.M. Oseid, G.L. Kimball, W.M. Koenst, and D.T. Lind. 1979. Acute and chronic toxicity of HCN to fish and invertebrates. EPA-600/3-79-009. National Technical Information Service, Springfield, VA.
- Smock, L.A., A.B. Wright, and A.C. Benke. 2005. Atlantic coast rivers of the southeastern United States. Pages 72-122 in: A.C. Benke and C.E. Cushing, editors. *Rivers of North America*. Elsevier Academic Press, Burlington, Massachusetts. Available: [http://books.google.com/books?id=faOU1wkiYFIC&pg=RA3-PA541&lpg=RA3-PA541&dq=pacific+coast+rivers+of+the+coterminous+united+states&source=web&ots=-pMpyECFaA&sig=FkGrIiwgkfDyHxXCWXRalK\\_XSvU#PPR1,M1](http://books.google.com/books?id=faOU1wkiYFIC&pg=RA3-PA541&lpg=RA3-PA541&dq=pacific+coast+rivers+of+the+coterminous+united+states&source=web&ots=-pMpyECFaA&sig=FkGrIiwgkfDyHxXCWXRalK_XSvU#PPR1,M1) (February 2008).
- Snell, T.W. and M. Serra. 2000. Using probability of extinction to evaluate the ecological significance of toxicant effects. *Environmental Toxicology and Chemistry* 19(9):2357-2363.
- Soares, M.P. 1999. *Environmental technology and economics: Sustainable development in Industry*. Butterworth-Heinemann, Boston, Massachusetts.
- Sogard, S.M., T.H. Williams and H. Fish. 2009. Seasonal patterns of abundance, growth, and site fidelity of juvenile steelhead in a small coastal California stream. *Transactions of the American Fisheries Society* 138(3):549-563.
- Sparks, T. 2000. *Statistics in Ecotoxicology*. Wiley & Sons. New York.
- Speckman, S.G., and Piatt, J.F. 2000. Historic and current use of lower Cook Inlet, Alaska, belugas, *Delphinapterus leucas*. *Marine Fisheries Review* 62(3):22-26. Calkins 1989

- Speyer, M.R. 1975. Some effects of chronic combined arsenic and cyanide poisoning on the physiology of rainbow trout. MS Thesis. Concordia University. Quebec, Canada.
- Spromberg, J.A. and J.P. Meador. 2005. Relating results of chronic toxicity responses to population-level effects: modeling effects on wild salmon populations. *Integrated Environmental Assessment and Management* 1(1):9-21.
- Spromberg, J.A. and W.J. Birge. 2005. Modeling the effects of chronic toxicity on fish populations: The influence of life-history strategies. *Environmental Toxicology and Chemistry* 24(6):1532-1540.
- Spruill, T.B., D.A. Harned, P.M. Ruhl, J.L. Eimers, G. McMahon, K.E. Smith, D.R. Galeone, and M.D. Woodside. 1998. Water quality in the Albemarle-Pamlico drainage basin, North Carolina and Virginia, 1992-1995. U.S. Department of the Interior, U.S. Geological Survey Circular 1157, Raleigh, North Carolina. Available: <http://pubs.usgs.gov/circ/circ1157/circ1157.pdf> (February 2008).
- Squiers, T.S. 2003. Completion report Kennebec River shortnose sturgeon population study (1997-2001). Report to National Marine Fisheries Service for NMFS contract 40-EANF-8-00053 and NMFS contract 43-EANF-0-00147.
- Squiers, T.S., M. Smith, and L. Flagg. 1982. American shad enhancement and status of sturgeon stocks in selected Maine waters. Final report to NMFS, Gloucester, Massachusetts.
- Stanford, J.A., F.R. Hauer, S.V. Gregory, and E.B. Synder. 2005. Columbia River basin. Pages 591-653 *in*: A.C. Benke and C.E. Cushing, editors. *Rivers of North America*. Elsevier Academic Press, Burlington, Massachusetts. Available: <http://books.google.com> (February 2008).
- StatSoft 2006. Statistica. Version 7.1 ([www.statsoft.com](http://www.statsoft.com)). StatSoft, Inc. Tulsa, OK.
- Stearns, S.C. 1992. The evolution of life histories. Oxford Press, Oxford. 249 pages.
- Stein, J.E., T.K. Collier, W.L. Reichert, E. Casillas, T. Hom, and U. Varanasi. 1992. Bioindicators of contaminant exposure and sublethal effects: Studies with benthic fish in Puget Sound, WA. *Environmental Toxicology and Chemistry* 11:701-714.
- Steinberger, A. and E.D. Stein. 2003. Effluent discharges to the Southern California Bight from large municipal wastewater treatment facilities in 2001 and 2002 Westminster, California, Southern California Coastal Water Research Project, <http://www.sccwrp.org/>.
- Stephan, C.E. 1986. Proposed goal of applied aquatic toxicology. Pages 3-10 *in*: Poston, T.M. and R. Purdy, editors. *Aquatic toxicology and environmental fate: a symposium*. Volume 921. 530 pages.
- Stephan, C.E. 2002. Uses of species sensitivity distributions in the derivation of water quality criteria for aquatic life by the U.S. Environmental Protection Agency. Pages 211 -220 *in*: Postuma, L., G.W. Suter II, T.P. Traas, editors. *Species sensitivity distributions in ecotoxicology*. Lewis, Boca Raton.
- Stephan, C.E., D.I. Mount, D.J. Hansen, J.H. Gentile, G.A. Chapman, W.A. Brungs. 1985. Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses. Office of Research and Development, US.

- Environmental Protection Agency. Available on the internet at:  
<http://www.epa.gov/waterscience/criteria/aqlife/>
- Steward, C.R. and T.C. Bjornn. 1990. Supplementation of salmon and steelhead stocks with hatchery fish: a synthesis of published literature. Bonneville Power Administration, Technical Report 90-1, Portland, Oregon.
- Stolz, J. and J. Schnell, editors. 1991. Trout. The Wildlife Series. Stackpole Books, Harrisburg PA. 370 pages.
- Stone, I. 1874. Report of operations during 1872 at the United States salmon hatching establishment on the McCloud River. U.S. Commission on Fish and Fisheries, Report for 1872 and 1873. Part II:168-215. Washington, D.C. Available:  
[http://penbay.org/cof/cof\\_1872\\_1873.html](http://penbay.org/cof/cof_1872_1873.html) (April 2008).
- Suter, G.W. and S.M. Cormier. 2008. What is mean by risk-based environmental quality criteria? Integrated Environmental Assessment and Management 4:486-489.
- Suter, G.W. II, A.E. Rosen, E. Linder, and D.F. Parkhurst. 1987. Endpoints for responses of fish to chronic toxic exposures. Environmental Toxicology and Chemistry 6:793-809.
- Suter, G.W. II, S.B. Norton, and S.M. Cormier. 2002. A methodology for inferring the causes of observed impairments in aquatic ecosystems. Environmental Toxicology and Chemistry 21(6):1101-1111.
- Suter, G.W. II. 1996. Abuse of hypothesis testing statistics in ecological risk assessment. Human and Ecological Risk Assessment 2:331-347.
- Swain, D.P., A.F. Sinclair, and J.M. Hanson. 2007. Evolutionary response to size-selective mortality in an exploited fish population. *Proc. R. Soc. B.* 274:1015-1022.
- Szabo, A., S.M. Ruby, F. Rogan, and Z. Amit. 1991. Changes in brain dopamine levels, oocyte growth and spermatogenesis in rainbow trout, *Oncorhynchus mykiss*, following sublethal cyanide exposure. Archives of Environmental Contamination and Toxicology 21:152-157
- Szabo, T., C. Medgyasszay, and L. Horvath. 2002. Ovulation induction in nase (*Chondrostoma nasus*, Cyprinidae) using pituitary extract or GnRH analogue combined with domperidone. Aquaculture 203:389-395.
- Tarras-Wahlberg, N.H., A. Flachier, S.N. Lane, O. Sangfors. 2001. Environmental impacts and metal exposure of aquatic ecosystems in rivers contaminated by small scale gold mining: the Puyango River basin, southern Ecuador. The Science of the Total Environment 278:239-261
- Taubert, B.D. 1980. Reproduction of the shortnose sturgeon (*Acipenser brevirostrum*) in Holyoke Pool, Connecticut River, Massachusetts. Copeia 1980(1):114-117.
- Taylor, B.L. and P.R. Wade. 2002. "Best" abundance estimates and best management: Why they are not the same. In: S. Ferson and M. Burgman, editors. Quantitative methods for conservation biology. Springer-Verlag, New York.
- Tiffan, K.F., T.J. Kock, C.A. Haskell, W.P. Connor, and R.K. Steinhorst. 2009. Water velocity, turbulence, and migration rate of subyearling fall Chinook salmon in the free-flowing and impounded Snake River. Transactions of the American Fisheries Society 138:373-384.

- Towill, L.E., J.S. Drury, and B.L. Whitfield. 1978. Reviews of the environmental effects of pollutants: V. Cyanide. ORNL/EIS-81, EPA-600/1-78-027. U.S. Environmental Protection Agency, Office of Research and Development, Cincinnati Ohio.
- Turekian, K.K., R.C. Harriss, and D.G. Johnson. 1967. The variation of Si, Cl, Na, Ca, Sr, Ba, Co, and Ag in the Neuse River, North Carolina. *Limnology and Oceanography* 12(4):702-706.
- Turgeon, D.D. and T.P. O'Connor. 1991. Long Island Sound: Distributions, trends, and effects of chemical contamination. *Estuaries* 14:279-289.
- USACE (United States Army Corps of Engineers). 2003. Merrimack River watershed assessment study: description of existing conditions. U.S. Army Corps of Engineers. Available: <http://www.nae.usace.army.mil/projects/ma/merrimack/merrimack.htm> (February 2008)
- USCB (United States Census Bureau). 2002. Economic census 2002. Available on the internet at: <http://www.census.gov/econ/census02/index.html>.
- USCB (United States Census Bureau). 2005a. U.S. Census Bureau, Population Division, Interim State Population Projections, 2005. Table 6: Interim projections: Total population for regions, divisions, and states:2000 to 2030.
- USCB (United States Census Bureau). 2005b. U.S. Census Bureau, Population Division, Interim State Population Projections, 2005. Table 7: Interim projections: Change in total population for regions, divisions, and states:2000 to 2030.
- USCB (United States Census Bureau). 2008. U.S. Census Bureau, Population Division, 2008. Table 7. Cumulative estimates of population change for metropolitan statistical areas and rankings: April 1, 2000 to July 1, 2007 (CBSA-EST2007-07).
- USFWS (United States Fish and Wildlife Service). 1998. Klamath River (Iron Gate Dam to Seiad Creek) life stage periodicities for Chinook, coho, and steelhead. Coastal California Fish and Wildlife Office, Arcata, California.
- USFWS (United States Fish and Wildlife Service). 2007. Restoring migratory fish to the Connecticut River basin. Available: <http://www.fws.gov/r5crc/Habitat/Contaminants.html> (February 2008).
- USFWS and NMFS (United States Fish and Wildlife Service and National Marine Fisheries Service). 1998. Endangered Species Consultation Handbook. March 1998. Final.
- USGS (United States Geological Survey). 2004. Evaluation of passage performance of adult American shad at lower Connecticut River mainstream fish passage facilities. U.S. Department of the Interior, U.S. Geological Survey, project 09042. Kearneysville, West Virginia. Available: <http://www.lsc.usgs.gov/CAFL/Fish%20Passage/Projects/09042%20Turners%20Fishways/Turners%20Fishways.htm> (February 2008).
- USGS (United States Geological Survey). 2005. Continuous resistivity profiling data from the upper Neuse River estuary, North Carolina, 2004-2005. U.S. Department of the Interior, U.S. Geological Survey Open-File Report 2005-1306. Available: <http://pubs.usgs.gov/of/2005/1306/html/docs/intro.htm> (February 2008).

- USGS (United States Geological Survey). 2007. Water data report 2007. 11530500 Klamath River near Klamath, California.
- Van Eenennaam, J.P., J. Linares, S.I. Doroshov, D.C. Hillemeier, T.E. Willson, and A.A. Nova. 2006. Reproductive conditions of the Klamath River green sturgeon. *Transactions of the American Fisheries Society* 135:151-163.
- Van Kirk, R. W. and S. L. Hill. 2007. Demographic model predicts trout population response to selenium based on individual-level toxicity. *Ecological Modeling* 206:407-420.
- Varanasi, U., E. Casillas, M.R. Arkoosh, T. Hom, D.A. Misitano, D.W. Brown, S.-L. Chan, T.K. C., B.B. McCain, and J.E. Stein. 1993. Contaminant exposure and associated biological effects in juvenile Chinook salmon (*Oncorhynchus tshawytscha*) from urban and nonurban estuaries of Puget Sound. NOAA Technical Memorandum NMFS-NWFSC-8. Seattle, Washington.
- Vélez-Espino, L.A., M.G. Fox, and R.L. McLaughlin. 2006. Characterization of elasticity patterns of North American freshwater fishes. *Canadian Journal of Fisheries and Aquatic Sciences*. 63:2050-2066.
- Vitousek, P.M., H.A. Mooney, J. Lubchenco, and J.M. Melillo. 1997. Human dominion of Earth's ecosystems. *Science* 277(5325):494-499.
- Voorhoeve, R.J.H., C.K.W. Patel, L.E. Trimble, and R.J. Kerl. 1975. Automobile pollution control devises with malfunctional catalytic converters. *Science* 190:145-151.
- Wall, G.R., K. Riva-Murray, and P.J. Phillips. 1998. Water quality in the Hudson River basin, New York and adjacent states, 1992-95. U.S. Department of the Interior, U.S. Geologic Survey Circular 1165, Troy, New York. Available: <http://ny.water.usgs.gov/projects/hdsn/report/Circular1165.pdf> (February 2008).
- Waples, R.S., O.W. Johnson, and R.P. Jones, Jr. 1991. Status review for Snake River sockeye salmon. U.S. Department of Commerce, NOAA Technical Memorandum NMFS F/NWC-195.
- Waples, R.S., P.B. Aebersold, and G.A. Winans. 1997. Population genetic structure and life history variability in *Oncorhynchus nerka* from the Snake River basin. Report to Bonneville Power Administration, Contract No. 1993BP05326, Project No. 199306800. BPA Report DOE/BP-05326-1.
- Ward, E. J., E. E. Holmes, and K. C. Balcomb. 2009. Quantifying the effects of prey abundance on killer whale reproduction. *Journal of Applied Ecology* 46:632-640.
- Ward, E.J., E.E. Holmes, and K.C. Balcomb. 2009a. Quantifying the effects of prey abundance on killer whale reproduction. *Journal of Applied Ecology* 46(3):632-640.
- Ward, E.J., K. Parsons, E.E. Holmes, K.C. Balcomb. III, and J.K.B. Ford. 2009b. The role of menopause and reproductive senescence in a long-lived social mammal. *Frontiers in Zoology* 6(4 10Pp.).
- Washington Department of Fisheries (WDF), Washington Department of Wildlife (WDW), and Western Washington Treaty Indian Tribes (WWTIT). 1993. 1992 Washington State salmon and steelhead stock inventory (SASSI). Washington Department of Fish and Wildlife, Olympia, Washington.

- Watkins, W. A. 1986. Whale reactions to human activities in Cape Cod waters. *Marine Mammal Science* 2:251-262.
- Way, J.L. 1981. Pharmacologic aspects of cyanide and its antagonism. Pages 29-49 *in*: B. Vennesland, E.E. Conn, C.J. Knowles, J. Westley, and F. Wissing, editors. *Cyanide in biology*. Academic Press.
- Webb, M.A.H., G.W. Feist, M.S. Fitzpatrick, E.P. Foster, C.B. Schreck, M. Plumlee, C. Wong, and D.T. Gundersen. 2006. Mercury concentrations in gonad, liver, and muscle of white sturgeon *Acipenser transmontanus* in the Lower Columbia River. *Archives of Environmental Contamination and Toxicology* 50:443-451.
- Weber, W. 1996. Population size and habitat use of shortnose sturgeon, *Acipenser brevirostrum*, in the Ogeechee River system, Georgia. Master's thesis. University of Georgia, Athens, Georgia.
- Wedemeyer G.A. R.L. Saunders, and W.C. Clarke. 1980. Environmental factors affecting smoltification and early marine survival of anadromous salmonids. *Mar. Fish. Rev.*:1-14
- Weitkamp, L.A., T.C. Wainwright, G.J. Bryant, G.B. Milner, D.J. Teel, R.G. Kope, and R.S. Waples. 1995. Status review of coho salmon from Washington, Oregon, and California. NOAA technical memorandum NMFS-NWFSC-24.
- WHO (World Health Organization). 2004. Hydrogen cyanide and cyanides: Human health aspects. (Concise international chemical assessment document; 61). Available at: <http://www.who.int/ipcs/publications/cicad/en/cicad61.pdf>
- Williams, J.E., A.L. Haak, H.M. Neville, and W.T. Colyer. 2009. Potential consequences of climate change to persistence of cutthroat trout populations. *North American Journal of Fisheries Management* 29:533-548.
- Williams, R., A.W. Trites, and D.E. Bain. 2002b. Behavioural responses of killer whales (*Orcinus orca*) to whale-watching boats: opportunistic observations and experimental approaches. *Journal of Zoology* 256:255-270.
- Williams, R., D.E. Bain, J.K.B. Ford, and A.W. Trites. 2002a. Behavioural responses of male killer whales to a 'leapfrogging' vessel. *Journal of Cetacean Research, and Management* 4:305-310.
- Williams, T.H., E.P. Bjorkstedt, W.G. Duffy, D. Hillemeier, G. Kautsky, T.E. Lisle, M. McCain, M. Rode, R.G. Szerlong, R.S. Schick, M.N. Goslin, and A. Agrawal. 2006. Historical population structure of coho salmon in the southern Oregon/northern California coasts evolutionarily significant unit. NOAA Technical Memorandum, NMFS-SWFSC-390.
- Wilson, J.A. and R.S. McKinley. 2004. Distribution, habitat and movements. Pages 40-69 *in*: G.T.O. LeBreton, F.W.H. Beamish, and R.S. McKinley, editors. *Sturgeon and paddlefish of North America*. Kluwer Academic Publishers.
- Wing, B.L. 1977. Salmon food observations. Pages 20-27 *in*: Southeast Alaska troll log book program: 1976 scientific report. Alaska Sea Grant Report 77-11.
- Wirgin, I., C. Grunwald, E. Carlson, J. Stabile, D.L. Peterson, and J. Waldman. 2005. Range-wide population structure of shortnose sturgeon *Acipenser brevirostrum* based on sequence analysis of the mitochondrial DNA control region. *Estuaries* 28(3):406-421.

- Woodward, D.F., W.G. Brumbaugh, A.J. DeLonay, E.E. Little, and C.E. Smith. 1994. Effects of rainbow trout fry of a metals-contaminated diet of benthic invertebrates from the Clark Fork River, Montana. *Transactions of the American Fisheries Society* 123:51-62.
- Wunderlich, R.C., B.D. Winter, and J.H. Meyer. 1994. Restoration of the Elwha River ecosystem. *Fisheries* 19(8):11-19.
- Wydoski, R.S. and R.R. Whitney. 1979. *Inland fishes of Washington*. University of Washington Press, Seattle, Washington.
- Ylitalo, G. M., C. O. Matkin, J. Buzitis, M. M. Krahn, L. L. Jones, T. Rowles, and J. E. Stein. 2002. Influence of life-history parameters on organochlorine concentrations in free-ranging killer whales (*Orcinus orca*) from Prince William Sound, Alaska. *The Science of the Total Environment* 281:22.
- Yoshiyama, R.M., E.R. Gerstung, F.W. Fisher, and P.B. Moyle. 1996. Historical and present distribution of chinook salmon in the Central Valley drainage of California. Department of Wildlife, Fish, and Conservation Biology, University of California, Davis California.
- Zabel, R. W., and S. Achord. 2004. Relating size of individuals to juvenile survival within and among closely-related populations of chinook salmon. *Ecology* 85: 795-806.
- Zabel, R.W. and J.G. Williams. 2002. Selective mortality in Chinook salmon: What is the role of human disturbance? *Ecological Applications* 12(1):173-183.
- Zimmerman, C.E., G.W. Edwards, and K. Perry. 2009. Maternal origin and migratory history of steelhead and rainbow trout captured in rivers of the Central Valley, California. *Transactions of the American Fisheries Society* 138(2):280-291.